

1883.

NEW SOUTH WALES.

VITAL STATISTICS.

TWENTY-SEVENTH ANNUAL REPORT

FROM

THE REGISTRAR-GENERAL, ON VITAL STATISTICS.

Printed in accordance with Resolutions of both Houses of Parliament.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.

1883.

1883.

VITAL STATISTICS.

THE REGISTRAR-GENERAL TO THE HONORABLE THE COLONIAL SECRETARY.

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1882:

WITH PREFATORY REPORT.

Sir,

Registrar-General's Department, Sydney, 4 June, 1883.

I have the honor to submit to you the detailed Abstracts of Marriages, Births, and Deaths, which were registered in the Colony during the year 1882.

The estimated population of the Colony on 31st December, 1882, was 817,468 persons; the percentage of males being 54·97, and of females 45·03. These figures show an actual increase of 36,203 persons on the estimated population at the end of the previous year. The natural increases to the population for the year, that is the excess of births over deaths, was 16,886 persons. The natural increase for the decade was 147,775 persons. The excess of arrivals over departures amounted to 19,817 persons.

ESTIMATED Population of the Colony of New South Wales for the Year 1882.

	Males.	Females.	Total.	Males.	Females.	Total.
Births during the year	15,087	14,615	29,702			
Arrivals by sea	32,687	14,602	47,289	47,774	29,217	76,991
Deaths during the year	7,596	5,220	12,816			
Departures by sea	20,114	7,858	27,972	27,710	13,078	40,788
Increase during the year				20,064	16,139	36,203
Estimated Population, 31st December, 1881				429,278	351,987	781,265
Estimated Population on 31st December, 1882.....				449,342	368,126	817,468

The

The number of Marriages celebrated in the Colony during the year 1882 was 6,948, being an increase of 664 on the number in the previous year. Births registered in the year numbered 29,702, which show an excess of 709 on the Births of the preceding year. The number of Deaths registered was 12,816, being an increase of 1,280 on the figures for 1881.

(A.)

TABLE showing the MARRIAGES, BIRTHS, and DEATHS registered in the Colony of New South Wales during each Quarter of the year 1882.

Quarter ended—	Marriages.	Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney—							
31 March	493	476	479	955	378	306	684
30 June	513	489	472	961	345	269	614
30 September	477	488	471	959	338	266	604
31 December	470	424	455	879	350	273	623
	Total	1,953	1,877	1,877	3,754	1,411	1,114
Suburbs—							
31 March	259	698	685	1,383	364	303	667
30 June	293	747	711	1,458	316	288	604
30 September.....	275	756	776	1,532	279	247	526
31 December	282	769	734	1,503	379	321	700
	Total	1,109	2,970	2,906	5,876	1,338	1,159
Country Districts—							
31 March	957	2,517	2,340	4,857	1,316	818	2,134
30 June	987	2,469	2,385	4,854	1,300	772	2,072
30 September.....	965	2,703	2,633	5,336	1,109	672	1,781
31 December	977	2,551	2,474	5,025	1,122	685	1,807
	Total	3,886	10,240	9,832	20,072	4,847	2,947
New South Wales—							
31 March	1,709	3,691	3,504	7,195	2,058	1,427	3,485
30 June	1,793	3,705	3,568	7,273	1,961	1,329	3,290
30 September.....	1,717	3,947	3,880	7,827	1,726	1,185	2,911
31 December	1,729	3,744	3,663	7,407	1,851	1,279	3,130
	Total	6,948	15,087	14,615	29,702	7,596	5,220

MARRIAGES.

Comparing the number of Marriages with the estimated population at the middle of the year, we find that the rate per 1,000 was 8·71, being the highest rate of any one year of the decade, and ·86 in advance of the average rate of the same period. The marriage rate for Sydney for the year was 17·80, that of the previous year being 17·41, and the average for the ten years 14·68. In the Suburbs the rate for the year was 8·65, showing an advance of 1·74 on that of the previous year and on that of the average rate of the decade. The Country Districts had a marriage rate for the year of 6·94, which is slightly over the figures of the previous year and also over the average of the ten years.

(B.)

TABLE showing the number of MARRIAGES registered in the Colony of New South Wales during each Quarter of the years 1873 to 1882.

	Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney.....	1873.....	83,000	316	346	299	297	1,258
	1874.....	86,213	277	339	306	302	1,224
	1875.....	89,796	324	324	297	287	1,232
	1876.....	93,269	321	349	296	298	1,264
	1877.....	97,235	339	344	350	310	1,343
	1878.....	102,056	358	386	350	324	1,418
	1879.....	107,603	341	350	342	384	1,417
	1880.....	113,455	416	398	381	408	1,603
	1881.....	104,966*	437	471	470	449	1,827
	1882.....	109,694	493	513	477	470	1,953
			3,622	3,820	3,568	3,529	14,539
Suburbs	1873.....	65,738	90	65	69	92	316
	1874.....	68,281	80	81	77	75	313
	1875.....	71,119	102	114	101	109	426
	1876.....	73,872	113	101	117	132	463
	1877.....	77,014	114	157	125	160	556
	1878.....	80,833	158	149	172	153	632
	1879.....	85,226	214	187	183	165	749
	1880.....	89,861	181	162	206	181	730
	1881.....	122,687*	203	216	204	225	848
	1882.....	128,214	259	293	275	282	1,109
			1,514	1,525	1,529	1,574	6,142
Country Districts	1873.....	400,479	729	710	685	686	2,810
	1874.....	415,976	689	729	707	681	2,806
	1875.....	433,264	786	731	740	690	2,947
	1876.....	450,025	832	713	687	671	2,903
	1877.....	469,163	791	773	777	754	3,095
	1878.....	492,427	812	828	815	812	3,267
	1879.....	519,190	812	813	847	753	3,225
	1880.....	547,426	851	822	746	820	3,239
	1881.....	535,353*	881	945	888	895	3,609
	1882.....	559,469	957	987	965	977	3,886
			8,140	8,051	7,857	7,739	31,787
New South Wales	1873.....	549,217	1,135	1,121	1,053	1,075	4,384
	1874.....	570,470	1,046	1,149	1,090	1,058	4,343
	1875.....	594,179	1,212	1,169	1,138	1,086	4,605
	1876.....	617,166	1,266	1,163	1,100	1,101	4,630
	1877.....	643,412	1,244	1,274	1,252	1,224	4,994
	1878.....	675,316	1,328	1,363	1,337	1,289	5,317
	1879.....	712,019	1,367	1,350	1,372	1,302	5,391
	1880.....	750,742	1,448	1,382	1,333	1,409	5,572
	1881.....	763,006*	1,521	1,632	1,562	1,569	6,284
	1882.....	797,377	1,709	1,793	1,717	1,729	6,948
			13,276	13,396	12,954	12,842	52,468

* This population is calculated on the basis of the Census taken 3rd April, 1881.

The percentage of Marriages celebrated by each of the undermentioned Denominations and Registrars during the year is as follows:—Church of England, 39·84; Roman Catholic, 18·93; Presbyterian, 13·74; Wesleyan, 10·13; Congregational, 7·43; Primitive Methodist, 1·93; Baptist, 1·14; Hebrew, 0·31; German Evangelical, 0·20; Christians, 0·07; Independent, 0·03; Registrars' Offices, 6·25.

(C.)

Denomination.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.
Church of England	1,547	1,572	1,618	1,759	1,869	2,098	2,182	2,252	2,487	2,768
Roman Catholic	992	837	953	921	990	1,009	982	1,021	1,171	1,315
Presbyterian	914	886	906	761	854	821	722	768	872	955
Wesleyan	462	518	502	487	509	556	605	618	651	704
Primitive Methodist	60	60	93	101	110	94	111	101	146	134
Congregationalist	164	180	186	232	243	291	331	364	433	516
Baptist	44	52	46	39	70	89	90	93	85	79
Christian Israelite.....
Unitarian	3	1	1	1	1
Hebrew	10	10	11	14	20	20	22	17	27	22
Protestant Episcopal	2	5	16	16	3	7	2	2
Catholic and Apostolic.....	2
German Evangelical.....	7	14	17	19	20	11	13	9	13	14
Christians	4	4	3	11	7	9	3	2
Welsh Church	1
Independent	2
Free Christian Church.....	2	2	2	3
Registrars' Offices.....	179	208	250	275	303	309	322	318	392	434
Total	4,384	4,343	4,605	4,630	4,994	5,317	5,391	5,572	6,284	6,948

MARRIAGE Table of Increase and Decrease.

Denomination.	1881.	1882.	1881, per cent.	1882, per cent.	Increase per cent.	Decrease per cent.
Church of England	2,487	2,768	39·57	39·84	0·27
Roman Catholic	1,171	1,315	18·68	18·93	0·25
Presbyterian.....	872	955	13·87	13·74	0·13
Wesleyan	651	704	10·36	10·13	0·23
Primitive Methodist	146	134	2·32	1·93	0·39
Congregationalists	433	516	6·89	7·43	0·54
Baptist	85	79	1·35	1·14	0·21
Hebrew.....	27	22	0·43	0·31	0·12
Protestant Episcopal
German Evangelical	13	14	0·20	0·20
Christians	3	5	0·04	0·07	0·03
Independent—unconnected	2	0·03	0·03
Holy Catholic and Apostolic	2	0·03	0·03
Free Christian Church	2	0·03	0·03
Registrars' Offices	392	434	6·23	6·25	0·02
	6,284	6,948	100·00	100·00	1·14	1·14

During the year there were 13,896 persons married. The percentage of the social condition of ^{Bachelors, Spinsters, &c.} these was as follows:—Bachelors, 45·99; spinsters, 45·37; widowers, 4·00; and widows, 4·62. There were also 2 divorced men and 2 divorced women who again entered the state of matrimony.

TABLE of Bachelors, Spinsters, &c.

	No. of Marriages.	Bachelors.	Spinsters.	Widowers.	Widows.	Divorced Men.	Divorced Women.
Sydney	1,953	1,766	1,720	186	232	1	1
Suburbs	1,109	1,026	1,030	83	79
Country Districts	3,886	3,599	3,554	286	331	1	1
	6,948	6,391	6,304	555	642	2	2

During the year 1882 there were 2,114 minors who were married. Of these 159 were males and ^{Minors, &c} 1,955 females, so that out of the total number of persons married more than 15 per cent. were minors. From the total number of persons married in Sydney we find minors formed 11·67 per cent. The Suburbs show a percentage of 12·76, and the Country Districts 17·70. Out of the total number of minors married there were 2 males and 62 females who were not able to sign their names to the Registers.

TABLE of Minors.

	No. of Marriages.	Minors.		
		Males.	Females.	Total.
Sydney	1,953	47	409	456
Suburbs	1,109	21	262	283
Country Districts	3,886	91	1,284	1,375
	6,948	159	1,955	2,114

TABLE of Minors and Marks.

		Males.	Females.	Total.
Sydney			17	17
Suburbs			2	2
Country Districts		2	43	45
		2	62	64

There were 782 persons married in the Colony during the year 1882 who were unable to sign their ^{Marks} names. These figures give a percentage of 5·63 to the total number married. The percentage of the previous year was 6·94. The following table gives the number of marriages celebrated in Sydney, Suburbs, and Country Districts respectively, and the number of those who signed their names or affixed their marks to the Registers:—

	No. of Marriages.	Signatures.			Marks.			Marks per cent.
		Males.	Females.	Total.	Males.	Females.	Total.	
Sydney	1,953	1,852	1,813	3,665	101	140	241	6·17
Suburbs	1,109	1,078	1,063	2,141	31	46	77	3·47
Country Districts	3,886	3,664	3,644	7,308	222	242	464	6·00
	6,948	6,594	6,520	13,114	354	428	782

BIRTHS.

The total number of births registered in the Colony in the year 1882 was 29,702, being at the rate of 37·25 per 1,000 of estimated population. The mean rate for the last ten years was 37·87. Male births numbered 15,087, and those of females 14,615, being 50·80 and 49·20 per cent. respectively. The birth-rate of the City amounted to 34·22 per 1,000, being 1·42 lower than the figures of the previous year, and 0·80 lower than the average of the previous ten years. Suburban births show a rate of 45·83 per 1,000, being 3·68 higher than the preceding year, and also over the rate of the decade by 1·76. In the Country Districts the birth-rate for the year was 35·87, which is 1·64 lower than the rate of the previous year, and 1·48 lower than the average rate of the decade.

(D.)

TABLE showing the number of BIRTHS registered in the Colony of New South Wales during each Quarter of the years 1873 to 1882.

	Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.	
Sydney	1873.....	83,000	760	755	826	724	3,065	36·92
	1874.....	86,213	762	775	824	760	3,121	36·20
	1875.....	89,796	748	858	797	759	3,162	35·21
	1876.....	93,269	838	865	873	734	3,310	35·48
	1877.....	97,235	818	796	896	889	3,399	34·95
	1878.....	102,056	846	851	956	831	3,484	34·13
	1879.....	107,603	857	943	1,007	907	3,714	34·51
	1880.....	113,455	870	985	960	920	3,735	32·92
	1881.....	104,966	938	920	946	937	3,741	35·64
	1882.....	109,694	955	961	959	879	3,754	34·22
			8,392	8,709	9,044	8,340	34,485	
Suburbs	1873.....	65,738	696	700	710	657	2,763	42·03
	1874.....	68,281	637	713	729	708	2,787	40·80
	1875.....	71,119	685	740	785	698	2,908	40·89
	1876.....	73,872	721	772	832	733	3,058	41·39
	1877.....	77,014	719	821	868	838	3,246	42·15
	1878.....	80,833	854	900	1,014	906	3,674	45·45
	1879.....	85,226	955	1,009	1,130	1,053	4,147	48·66
	1880.....	89,861	1,026	1,197	1,182	1,214	4,619	51·40
	1881.....	122,687	1,178	1,250	1,387	1,356	5,171	42·15
	1882.....	128,214	1,383	1,458	1,532	1,503	5,876	45·83
			8,854	9,560	10,169	9,666	38,249	
Country Districts	1873.....	400,479	3,755	3,509	4,202	4,150	15,616	38·99
	1874.....	415,976	3,824	3,903	4,331	4,212	16,270	39·11
	1875.....	433,264	3,893	4,113	4,282	4,170	16,458	37·98
	1876.....	450,025	4,091	4,048	4,505	4,286	16,930	37·62
	1877.....	469,163	4,083	4,220	4,657	4,246	17,206	36·67
	1878.....	492,427	4,262	4,414	5,006	4,488	18,170	36·89
	1879.....	519,119	4,419	4,639	5,127	4,887	19,072	36·73
	1880.....	547,426	4,694	4,934	5,088	5,092	19,808	36·18
	1881.....	535,353	4,860	4,813	5,181	5,227	20,081	37·51
	1882.....	559,469	4,857	4,854	5,336	5,025	20,072	35·87
			42,738	43,447	47,715	45,783	179,683	
New South Wales	1873.....	549,217	5,211	4,964	5,738	5,531	21,444	39·04
	1874.....	570,470	5,223	5,391	5,884	5,680	22,178	38·87
	1875.....	594,179	5,326	5,711	5,864	5,627	22,528	37·92
	1876.....	617,166	5,650	5,685	6,210	5,753	23,298	37·75
	1877.....	643,412	5,620	5,837	6,421	5,973	23,851	37·05
	1878.....	675,316	5,962	6,165	6,976	6,225	25,328	37·50
	1879.....	712,019	6,231	6,591	7,264	6,847	26,933	37·82
	1880.....	750,742	6,590	7,116	7,230	7,226	28,162	37·51
	1881.....	763,006	6,976	6,983	7,514	7,520	28,993	37·99
	1882.....	797,377	7,195	7,273	7,827	7,407	29,702	37·25
			59,984	61,716	66,928	63,789	252,417	

There were 1,261 illegitimate births registered in the Colony during the year 1882, consisting of Illegitimates. 635 males and 626 females. The percentage of these births to total number of births was 4·24. The number registered in Sydney was 440, in the Suburbs 161, and in the Country Districts 660. In proportion to the total number of births registered in each of these divisions, we find the percentage of illegitimate births to be as follows:—Sydney, 11·72; Suburbs, 2·74; and Country Districts, 3·28. The high percentage of these births in Sydney is caused by the number registered from the Benevolent Asylum, which contributes nearly one half of the total of these births.

(E.)

TABLE showing the number of CHILDREN born out of WEDLOCK in the Colony of New South Wales, from 1st January, 1873, to 31st December, 1882.

Year.	Sydney.			Suburban.			Country Districts.			Total.		
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
1873 ...	98	101	199	42	44	86	293	311	604	433	456	889
1874 ...	117	124	241	40	48	88	305	301	606	462	473	935
1875 ...	132	128	260	41	44	85	321	281	602	494	453	947
1876 ...	170	136	306	43	45	88	309	247	556	522	428	950
1877 ...	161	144	305	34	43	77	315	292	607	510	479	989
1878 ...	165	152	317	54	54	108	317	279	596	536	485	1,021
1879 ...	195	194	389	65	52	117	345	364	709	605	610	1,215
1880 ...	204	207	411	69	81	150	351	314	665	624	602	1,226
1881 ...	203	222	425	84	83	167	353	318	671	640	623	1,263
1882 ...	220	220	440	75	86	161	340	320	660	635	626	1,261
	1,665	1,628	3,293	547	580	1,127	3,249	3,027	6,276	5,461	5,235	10,696

The births of 425 twin children were registered during the year 1882. No case of triplets is Twins recorded.

(F.)

TABLE showing the number of TRIPLETS and TWINS born in the Colony of New South Wales, from 1st January, 1873, to 31st December, 1882.

Year.	Triplets.				Twins.			
	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males.	Females.	Total.
1873	1	3	3	189	204	173	377*
1874	4	9	3	12	177	182	171	353*
1875	1	3	3	200	180	219	399*
1876	1	1	1	2*	195	188	193	381‡
1877	209	222	193	415§
1878	2	3	1	4†	196	195	197	392†
1879	2	1	5	6	203	206	198	404†
1880	224	230	218	448
1881	4	8	4	12	224	219	227	446
1882	213	217	208	425*
	15	22	20	42	2,030	2,043	1,997	4,040

* One still-born. † Two still-born. ‡ Nine still-born. § Three still-born. || Two still-born.

DEATHS.

The number of Deaths registered in the year 1882 was 12,816, being 1,280 more than in the previous year. The death rate at per 1,000 of estimated population was 16.07. This rate is 0.95 in excess of that of the preceding year, and 0.37 higher than the mean death rate for the decade. The deaths of males numbered 7,596, and of females 5,220, being 59.27 and 40.73 per cent. respectively. The death rate for the City was 23.02, for the Suburbs 19.47, and for the Country 13.93. The deaths in the City Hospitals are included in the City death rate. The death rate for Sydney, for the year 1882, was 1.63 higher than that of the previous year, but 0.50 lower than the average of the decade. The Suburban rate was 2.31 over the rate of the previous year, but 0.19 under the average of the ten years. In the Country the death rate was 0.51 in excess of that of the preceding year, and 0.52 in advance of the average of the decade.

(G.)

TABLE showing the number of DEATHS registered in the Colony of New South Wales, during each Quarter of the Years 1873 to 1882.

	Estimated Population at the middle of each year.	31 March.	30 June.	30 Sept.	30 Dec.	Total.	Ratio per 1,000 living.	
Sydney	1873	83,000	468	430	408	494	1,800	21.68
	1874	86,213	460	401	492	724	2,077	24.09
	1875	89,796	900	560	562	651	2,673	29.76
	1876	93,269	758	699	565	469	2,491	26.70
	1877	97,235	525	519	419	537	2,000	20.57
	1878	102,056	644	584	540	553	2,321	22.74
	1879	107,603	624	530	468	644	2,266	21.05
	1880	113,455	590	540	680	930	2,740	24.24
	1881	104,966	600	520	530	596	2,246	21.39
	1882	109,694	684	614	604	623	2,525	23.02
			6,253	5,397	5,268	6,221	23,139	
Suburbs	1873	65,738	213	248	249	287	997	15.16
	1874	68,281	298	291	262	348	1,199	17.56
	1875	71,119	533	332	295	487	1,647	23.15
	1876	73,872	516	505	332	332	1,685	22.81
	1877	77,014	331	375	258	357	1,321	17.15
	1878	80,833	414	481	349	407	1,651	20.42
	1879	85,226	405	428	346	469	1,648	19.33
	1880	89,861	498	460	465	757	2,180	24.26
	1881	122,687	637	502	428	539	2,106	17.16
	1882	128,214	667	604	526	700	2,497	19.47
			4,512	4,226	3,510	4,683	16,931	
Country Districts	1873	400,479	1,326	1,180	1,169	1,139	4,814	12.02
	1874	415,976	1,350	1,409	1,309	1,308	5,376	12.92
	1875	433,264	1,749	1,879	1,452	1,371	6,451	14.89
	1876	450,025	1,738	1,954	1,739	1,586	7,017	15.59
	1877	469,163	1,987	1,765	1,450	1,346	6,548	13.95
	1878	492,427	1,895	1,953	1,447	1,496	6,791	13.77
	1879	519,190	1,828	1,605	1,418	1,435	6,286	12.10
	1880	547,426	1,589	1,621	1,426	1,675	6,311	11.51
	1881	535,353	1,932	1,803	1,650	1,799	7,184	13.42
	1882	559,469	2,134	2,072	1,781	1,807	7,794	13.93
			17,528	17,241	14,841	14,962	64,572	
New South Wales	1873	549,217	2,007	1,858	1,826	1,920	7,611	13.85
	1874	570,470	2,108	2,101	2,063	2,380	8,652	15.16
	1875	594,179	3,182	2,771	2,309	2,509	10,771	18.12
	1876	617,166	3,012	3,158	2,636	2,387	11,193	18.13
	1877	643,412	2,843	2,659	2,127	2,240	9,869	15.34
	1878	675,316	2,953	3,018	2,336	2,456	10,763	15.94
	1879	712,019	2,857	2,563	2,232	2,548	10,200	14.32
	1880	750,742	2,677	2,621	2,571	3,362	11,231	14.96
	1881	763,006	3,169	2,825	2,608	2,934	11,536	15.12
	1882	797,377	3,485	3,290	2,911	3,130	12,816	16.07
			6672904	28,293	26,864	23,619	25,866	104,642

INFANTILE MORTALITY.

The deaths of children, under 5 years of age, which were registered during the year 1882, numbered 5,452, being 42·54 per cent. of the total number of deaths registered. This proportion is slightly higher than that of the preceding year, and 0·46 lower than the average of the decade. The percentage for the year for Sydney is 39·21; for the Suburbs, 54·26; and for the Country Districts, 39·86. Comparing these results with those of the previous year, we find an increase in Sydney of 1·46 per cent., a small decrease in the Suburbs, and a decrease of 0·42 in the Country.

The average infantile mortality of the ten years for Sydney and Country Districts is 2·95 and 0·28 per cent. respectively in excess of the year's percentage, and there is scarcely any variation for the Suburbs.

(H.) INFANTILE MORTALITY.

Year.	Total Deaths of the year.	Total Deaths under 5 years.	Percentage of total Deaths under 5 years to Deaths of the year.	Sydney.			Suburbs.			Country Districts.		
				Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.
1873....	7,611	2,924	38·42	1,800	719	39·94	997	510	51·15	4,814	1,695	35·62
1874....	8,652	3,768	43·55	2,077	929	44·72	1,199	672	56·04	5,376	2,167	40·31
1875....	10,771	4,958	46·03	2,673	1,264	47·29	1,647	913	55·43	6,451	2,731	43·10
1876....	11,193	4,670	41·72	2,491	1,024	41·10	1,685	917	54·42	7,017	2,729	38·89
1877....	9,869	4,293	43·49	2,000	815	40·75	1,321	723	54·73	6,548	2,755	42·07
1878....	10,763	4,884	45·37	2,321	1,022	44·00	1,651	920	55·72	6,791	2,942	43·32
1879....	10,200	4,369	42·83	2,266	899	39·67	1,648	902	54·73	6,286	2,568	40·85
1880....	11,231	4,910	43·71	2,740	1,293	47·19	2,180	1,276	58·53	6,311	2,341	37·09
1881....	11,536	4,889	42·38	2,246	848	37·75	2,106	1,147	54·46	7,184	2,894	40·28
1882....	12,816	5,452	42·54	2,525	990	39·21	2,497	1,355	54·26	7,794	3,107	39·86
	104,642	45,117		23,139	9,803		16,931	9,335		64,572	25,979	
Mean of 10 years....	10,464	4,511		2,313	980		1,693	933		6,457	2,597	

The proportion which infant deaths at each year bear to the total deaths registered in the Colony during the year 1882 is as follows :—

Under 1 year	30·40
From 1 to 2 years	7·41
,, 2 to 3 ,,	2·44
,, 3 to 4 ,,	1·39
,, 4 to 5 ,,	0·88

The percentage of infant deaths at each year to the total number of deaths registered in Sydney, Suburbs, and Country Districts respectively was as follows :—

Under 1 year	29·18	41·17	27·35
From 1 to 2 years	6·37	9·49	7·08
,, 2 to 3 ,,	2·13	1·84	2·73
,, 3 to 4 ,,	0·87	0·80	1·70
,, 4 to 5 ,,	1·54	1·72	0·98

104966
122687
227653

TABLE showing the DEATHS at all AGES from 1 to 100 years, in Sydney, Suburbs, and the Country Districts, for the year ended 31st December, 1882.

	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and upwards.	Age unspecified.	Grand Total.
Males—																											
Sydney	399	84	23	11	6	21	17	26	74	88	76	84	77	105	83	51	52	37	32	28	13	4	20	1411	
Suburbs	554	115	26	13	12	23	23	35	29	38	42	40	45	55	49	45	65	41	27	29	20	3	3	1	1	4	1338
Country Districts	1168	289	116	57	41	142	88	121	175	163	159	186	214	209	247	173	308	225	255	185	167	52	22	9	3	73	4847
Total.....	2121	488	165	81	59	186	128	182	278	289	277	310	336	369	379	269	425	303	314	242	200	59	25	10	4	97	7596
Females—																											
Sydney	338	77	21	11	10	18	12	27	37	50	55	84	53	55	43	39	50	28	35	22	11	7	4	..	1	16	1114
Suburbs	474	122	20	11	8	20	19	29	46	44	41	38	27	38	27	27	43	37	37	22	20	7	..	1	1	..	1159
Country Districts	964	263	97	76	36	113	77	81	116	128	114	106	86	100	88	71	86	93	92	73	40	19	9	1	1	17	2947
Total.....	1776	462	148	98	54	151	108	137	199	222	210	228	166	193	158	137	179	158	164	117	71	33	13	2	3	33	5220

TABLE showing the BIRTHS and DEATHS of Males and Females registered in each Ward of the City of Sydney, from the 1st January to the 31st December, 1882, distinguishing the Deaths under 5 years of age.

Wards.	Population Census 1881.	Births.			Deaths.			Total Deaths.			
		Under 5 years.			Above 5 years.						
		Males.	Females.	Total.	Males.	Females.	Total.				
1. Gipps	10,983	184	200	384	51	39	90	67	40	107	197
2. Bourke	5,300	34	44	78	8	16	24	320	187	507	†531
3. Brisbane	7,219	93	95	188	30	21	51	42	31	73	124
4. Macquarie.....	8,083	116	124	240	30	26	56	40	40	80	136
5. Cook	25,537	517	525	1,042	140	127	267	144	142	286	553
6. Fitzroy.....	15,880	233	242	475	58	60	118	123	78	201	‡319
7. Phillip.....	11,075	361	295	656	106	85	191	64	49	113	§304
8. Denison	15,780	339	352	691	100	93	193	88	80	168	361
Totals	*99,857	1,877	1,877	3,754	523	467	990	888	647	1,535	2,525

* Exclusive of the Islands in Port Jackson and shipping. † 373 of these deaths occurred in the Sydney Hospital, and 74 in the Hyde Park Asylum. ‡ St. Vincent's Hospital, 51 deaths; Sydney Gaol, 18; and Lunatic Reception House, Darlinghurst, 5. § Benevolent Asylum, 68.

	Population, Census 1881.	Births.	Deaths under 5 years.	Deaths.
1. Sydney.....	103,379	3,754	990	2,525
2. Balmain	16,929	808	161	298
Leichhardt		71	19	30
3. Glebe	10,856	508	153	259
4. Newtown.....	15,745	746	209	372
5. Redfern	23,638	695	174	285
6. Waterloo.....		569	145	231
7. Paddington.....		573	116	233
Randwick.....	20,220	44	6	19
Waverley.....		105	19	54
Woollahra		132	21	48
8. Canterbury	22,434	470	114	213
9. Petersham		693	130	260
10. St. Leonards	11,010	411	75	168
Manly		51	13	27

(I.)

Ward.	Percentage of—																				Total Deaths to Population in each Ward (Census, 1861 and 1871.)																								
	Deaths under 5 years to total Deaths in each Ward.										Death under 5 years to Births in each Wards.										Total Deaths to Births in each Ward.																								
	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.					
1. Gipps	45·39	52·34	56·13	42·13	51·40	43·30	38·17	57·72	42·64	45·63	20·96	29·71	37·37	23·04	22·66	24·25	16·94	36·60	22·52	23·44	46·17	56·76	66·58	54·68	44·09	56·00	44·39	63·40	52·82	51·30	1·81	2·38	2·82	2·41	2·00	2·50	2·07	2·74	1·79	1·79					
2. Bourke	10·74	9·44	12·50	6·57	9·46	9·05	5·43	6·41	4·69	4·52	36·52	36·21	5·09	25·20	35·00	31·75	25·74	30·48	25·26	30·77	7·43	8·46	9·89	9·26	8·44	8·41	9·11	9·49	9·66	10·02
3. Brisbane	39·86	56·73	49·05	45·15	41·10	52·38	44·60	48·54	45·04	41·13	18·91	41·99	38·01	36·47	39·13	30·43	27·55	36·72	31·05	27·13	47·43	74·02	77·49	80·78	70·87	58·10	61·77	75·66	68·95	65·96	2·03	2·86	2·89	2·83	2·24	2·02	1·91	2·35	1·81	1·72					
4. Macquarie	46·71	43·24	50·27	49·71	48·61	51·65	48·25	52·06	46·85	41·18	22·45	22·94	33·21	29·29	24·65	29·77	26·44	39·61	26·27	23·33	44·56	53·05	66·07	58·92	50·70	57·63	54·79	76·08	56·08	56·67	1·72	1·86	2·33	2·20	1·81	1·90	1·80	2·44	1·77	1·63					
5. Cook	53·77	61·16	58·27	58·27	52·25	55·45	54·48	57·63	49·39	48·28	23·95	30·62	41·00	34·65	20·56	26·67	23·12	31·96	19·98	25·62	44·54	50·07	70·37	59·47	39·35	48·09	42·44	55·41	40·45	53·07	2·25	2·47	3·62	3·37	2·56	2·99	2·96	3·94	1·61	2·16					
6. Fitzroy	39·14	47·53	46·91	40·97	38·34	39·02	36·73	44·58	31·19	36·99	23·11	28·72	39·48	33·48	21·41	26·78	22·08	30·20	20·44	24·84	59·03	60·42	84·16	81·72	55·85	68·62	60·12	67·75	65·53	67·16	2·15	2·37	2·23	3·09	2·11	2·73	2·45	2·77	2·06	2·01					
7. Phillip	53·84	57·14	61·59	49·82	58·95	64·16	58·76	65·22	63·09	62·83	23·09	27·55	38·28	28·25	27·44	34·62	27·27	35·71	23·48	29·11	42·89	48·22	62·15	56·71	46·54	53·96	46·41	54·76	37·22	46·34	2·07	2·66	3·54	3·42	2·81	3·59	3·57	4·23	2·10	2·74					
8. Denison	54·18	56·56	64·53	54·02	54·03	56·42	51·84	60·96	55·48	53·46	25·82	26·48	44·31	30·92	25·00	32·94	27·34	38·25	23·58	27·93	47·65	46·81	68·68	57·24	46·27	58·38	52·73	62·75	42·50	52·24	2·00	1·95	2·92	2·57	2·08	2·92	2·95	3·69	1·85	2·29					

* The Infirmary is situated in Bourke Ward.

(J.)

* Waterloo was not created a separate Registry District till January, 1872; Randwick a Sub-district of Paddington in September, 1872, and Waverley, Sub-district of Paddington, 1st August, 1876; Woollahra, a Sub-district of Paddington, 1st August, 1878; Manly, a Sub-district of St. Leonards, 1st July; Leichhardt a Sub-district of Balmain, 1st July, 1882. † By Census of 1881, Concord was included in the Electoral District of Canterbury, and St. George in that of Petersham.

† By Census of 1881, Concord was included in the Electoral District of Canterbury, and St. George in that of Petersham.

The assigned causes of deaths registered during the year 1882 were distributed in the several classes as follows:—

					No of deaths.	Percentage to total deaths.
Zymotic Diseases	2,616	20·41
Constitutional do	1,332	12·72
Local do	5,182	40·43
Developmental do	2,402	18·73
Violent deaths	904	7·08
Unspecified or undefined...	80	0·63

Under the *Zymotic Class* we find Diarrhoea caused 826 deaths, of which 684 were those of children under two years of age. Typhoid and Infantile Fever carried off 450 persons, of whom 325 were between the ages of five and forty-five. Diphtheria proved fatal in 175 cases, nearly all of which occurred to children between one and ten years of age. Whooping Cough numbered 109 cases. Croup was the occasion of 173 deaths; Dysentery, 162; Cholera, 86; and Alcoholism, 121.

Constitutional Diseases.—The complaints which caused the largest number of deaths in this class were as follows:—Dropsy, 175; Cancer, 215; Tumour, 40; Tabes Mesenterica, 161; Phthisis, 917; Hydrocephalus, 35.

Under the head of *Local Diseases* is included more than 40 per cent. of total deaths, of which the most prominent are as follows:—Cephalitis, 169; Apoplexy, 199; Paralysis, 172; Epilepsy, 92; Convulsions, 741; Brain Disease, &c., 236; Heart Disease, &c., 565; Bronchitis, 681; Pleurisy, 72; Pneumonia, 696; Congestion of Lungs (pulmonary), 160; Enteritis, 352; Liver Disease, 145; Nephritis, 110.

The class of *Developmental Diseases* produced 289 cases of death from Premature Birth, 312 from Teething, 91 from Childbirth, 882 from Old Age, and 776 from Atrophy and Debility. The whole of these last-mentioned deaths were of children under three years of age.

In the class of deaths under the head of *Accidents or Negligence* we find the following causes:—Fractures and Contusions, 351; Burns and Scalds, 96; Drowning, 216; Poison, 38; Sunstroke, 36; Suffocation, 29; Wounds, 38. Homicidal deaths numbered 20, and there were 55 deaths described as Suicides. There were also 16 violent deaths not classed.

(K.)

	1873. Per- centage.	1874. Per- centage.	1875. Per- centage.	1876. Per- centage.	1877. Per- centage.	1878. Per- centage.	1879. Per- centage.	1880. Per- centage.	1881. Per- centage.	1882. Per- centage.
CLASS I.—ZYMOTIC DISEASES.										
Order 1.—Miasmatic Diseases—Small-pox, Scarletina, Measles, Diphtheria, Dysentery, Fevers, &c.	15·52	20·09	27·12	26·36	19·85	22·66	18·37	17·09	16·08	17·52
2.—Enthentic Diseases—Syphilis, Gonorrhœa, &c.	0·46	0·34	0·23	0·44	0·26	0·21	0·31	0·36	0·26	0·34
3.—Dietic Diseases — Privation, Scurvy, Delirium Tremens, &c.	1·59	1·50	1·66	2·31	2·57	2·28	1·53	1·55	1·99	2·13
4.—Parasitic Diseases, Thrush, Worms, &c....	0·28	0·45	0·39	0·42	0·59	0·46	0·42	0·39	0·42	0·42
	17·85	22·38	29·46	29·53	23·27	25·61	20·63	19·39	18·75	20·41
CLASS II.—CONSTITUTIONAL.										
Order 1.—Diathetic Diseases — Gout, Dropsy, Cancer, &c.	4·27	3·69	3·24	3·58	3·78	3·39	3·38	3·79	3·83	3·68
2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	8·78	8·74	8·22	7·83	8·67	8·41	9·99	9·26	9·98	9·04
	13·05	12·43	11·46	11·41	12·45	11·80	13·37	13·05	13·81	12·72
CLASS III.—LOCAL.										
Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c.	15·50	14·62	12·13	11·55	12·62	13·26	13·53	13·34	13·36	12·82
2.—Circulation — Pericarditis, Aneurism, Heart Disease, &c.	5·99	5·73	4·61	4·79	4·84	4·99	5·92	5·34	4·96	4·79
3.—Respiratory — Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	10·87	11·34	10·13	10·09	10·87	10·03	10·23	13·79	13·14	13·66
4.—Digestive—Gastritis, Enteritis, Peritonitis, Hernia, &c.	7·15	6·31	6·64	6·36	7·27	7·07	7·35	6·54	7·17	6·73
5.—Urinary—Nephritis, Ischuria, Diabetes, &c.	1·60	1·68	1·62	1·80	1·92	1·73	2·32	1·87	2·06	1·86
6.—Generation—Ovarian Dropsy, Uterus Diseases, &c.	0·25	0·17	0·21	0·24	0·08	0·07	0·11	0·12	0·16	0·14
7.—Joints—Arthritis, Ostitis, Periostitis, &c.	0·14	0·11	0·18	0·18	0·11	0·10	0·16	0·19	0·13	0·12
8.—Integumentary—Phlegmon, Ulcer, Skin Diseases, &c.	0·06	0·13	0·10	0·20	0·16	0·12	0·19	0·18	0·13	0·31
	41·56	40·09	35·62	35·21	37·87	37·37	39·81	41·37	41·11	40·43

(K—*continued.*)

	1873. Per- centage.	1874. Per- centage.	1875. Per- centage.	1876. Per- centage.	1877. Per- centage.	1878. Per- centage.	1879. Per- centage.	1880. Per- centage.	1881. Per- centage.	1882. Per- centage.
CLASS IV.—DEVELOPMENTAL.										
Order 1.—Children—Cyanosis, Spina-Bifida, Teething, &c.	4·32	4·36	4·68	4·23	6·28	5·63	4·89	4·40	4·25	5·07
2.—Adults—Paramenia, Childbirth, &c.	0·74	1·00	0·98	1·26	1·03	0·80	0·72	0·97	0·89	0·73
3.—Old People—Old Age, &c.	6·42	5·13	4·96	5·45	5·08	5·90	6·46	6·24	6·55	6·88
4.—Nutrition—Atrophy, Debility	7·06	6·27	5·57	4·98	5·51	5·03	5·60	6·00	6·25	6·05
	18·54	16·76	16·19	15·92	17·90	17·36	17·67	17·61	17·94	18·73
CLASS V.—VIOLENCE.										
Order 1.—Accident or Negligence — Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	7·82	6·84	6·02	6·34	6·72	6·83	7·41	6·87	6·69	6·32
2.—Wounds in Battle—Gunshot Wounds....
3.—Homicide—Murder and Manslaughter....	0·24	0·28	0·15	0·24	0·21	0·21	0·16	0·28	0·19	0·16
4.—Suicide—Poison, Drowning, Hanging, &c.	0·46	0·65	0·48	0·42	0·61	0·23	0·45	0·60	0·71	0·44
5.—Execution—Hanging	0·05	0·03	0·02	0·03	0·01	0·01	0·01	0·03	0·02	0·03
Unclassified—Violent Deaths	0·07	0·13	0·23	0·13
	8·57	7·80	6·74	7·03	7·55	7·28	8·03	7·91	7·84	7·08
Unspecified	0·43	0·54	0·59	0·90	0·96	0·58	0·49	0·67	0·55	0·63

(L.)

Period.	No. of Deaths.	Mean Temperature.	Mean Height of Barometer.	Rain.	
				Depth.	Days.
January	235	71·6	29·963	2·23	13
February.....	193	70·9	30·025	6·53	15
March	197	69·9	30·077	3·91	14
April	177	64·6	30·123	5·42	13
May.....	185	58·7	30·080	6·64	13
June	177	53·8	30·123	5·53	11
July.....	173	52·1	30·185	4·53	13
August	186	55·8	30·120	2·96	10
September	168	59·2	30·027	4·45	13
October	191	63·1	30·024	4·07	13
November	194	66·7	29·929	3·17	12
December	236	70·3	29·918	1·87	12
Mean of 12 months	192	63·07	30·049	4·27	12

From the above Table we find the mean number of deaths registered in each month during the past ten years ; also the mean temperature, mean height of barometer, and rainfall.

I have the honor to be, Sir,
Your obedient servant,
EDWD. GRANT WARD,
Registrar-General.

INDEX TO TABLES.

APPENDIX.

A.

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS registered in the Colony of New South Wales, during the Year ended 31st December, 1882.

	Marriages.	Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney.....	1,953	1,877	1,877	3,754	1,411	1,114	2,525
Suburban Districts.....	1,109	2,970	2,906	5,876	1,338	1,159	2,497
Metropolitan	3,062	4,847	4,783	9,630	2,749	2,273	5,022
Country Districts	3,886	10,240	9,832	20,072	4,847	2,947	7,794
	6,948	15,087	14,615	29,702	7,596	5,220	12,816

B.

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS registered in each District of the Colony of New South Wales, during the Year ended 31st December, 1882.

District.	Popula- tion, Census, 1881.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
I.—NORTH-EASTERN.												
1. Richmond River	9,266	{ 16	130	22	62	68	1	1	9	13	108	
Lismore		{ 52	292	77	146	146	4	1	44	33	215	
2. Tweed River		{ 4	39	7	22	17	7	32	
3. Grafton	7,744	{ 67	274	91	127	147	2	2	48	43	183	
Maclean		{ 29	166	36	77	89	...	3	24	12	130	
Ulmarra		{ 22	85	17	40	45	1	...	11	6	68	
4. Macleay River		{ 54	236	59	118	118	2	3	29	30	177	
Bellinger River	7,123	{ 5	45	8	20	25	1	...	5	3	37	
Nambucca River.....		{ 2	39	5	22	17	3	2	34	
5. Port Macquarie.....		{ 11	89	20	53	36	2	...	14	6	69	
6. Manning River	9,309	{ 60	291	62	147	141	4	3	39	23	229	
Barrington.....		{ 5	47	8	23	24	...	2	8	39	
7. Port Stephens		{ 17	112	20	52	60	2	1	10	10	92	
8. Dungog		{ 18	96	31	49	47	3	...	20	11	65	
9. Clarence Town	5,945	{ 2	41	8	19	22	5	3	33	
10. Paterson.....		{ 14	87	24	45	42	1	1	12	12	63	
11. Raymond Terrace	5,643	20	107	35	59	48	1	...	17	18	72	
12. Maitland (East)	4,103	23	116	31	65	51	4	4	21	10	85	
Maitland (West)	5,703	95	251	143	127	124	12	8	79	64	108	
Upper Hunter		{ 4	58	10	33	25	2	1	6	4	48	
Minmi		{ 2	54	14	21	33	1	...	4	10	40	
Greta		{ 15	91	28	39	52	...	3	13	15	63	
13. Morpeth	4,944	18	158	49	76	82	3	6	26	23	109	
14. Patrick's Plains.....	7,021	48	280	92	136	144	8	8	47	45	188	
15. Muswellbrook		{ 16	90	32	44	46	...	3	20	12	58	
Denman		{ 3	49	8	26	23	1	1	6	2	41	
16. Scone	11,321	{ 15	120	37	64	56	4	...	19	18	83	
17. Murrurundi		{ 16	70	27	39	31	1	...	19	8	43	
Total		653	3,513	1,001	1,751	1,762	60	51	565	436	2,512	
II.—NORTH MIDLAND.												
1. Tenterfield.....	4,855	27	164	46	93	71	1	2	31	15	118	
2. Wellingrove	6,900	{ 38	214	71	102	112	3	3	42	29	143	
Vegetable Creek		{ 19	112	54	44	68	1	2	29	25	58	
3. Inverell	7,186	53	282	52	137	145	7	6	34	18	230	
4. Armidale		{ 84	372	131	206	166	4	3	83	48	241	
Walcha	15,222	{ 8	111	29	60	51	4	1	18	11	82	
Uralla.....		{ 14	149	38	83	66	2	...	28	10	111	
Bundarra		{ 6	49	15	24	25	...	1	9	6	34	
Total		249	1,453	436	749	704	22	18	274	162	1,017	
III.—NORTH-WESTERN.												
1. Tamworth	13,238	{ 96	387	130	187	200	10	12	76	54	257	
Gunnedah		{ 32	302	132	165	137	8	4	80	52	170	
2. Nundle	53	9	27	26	...	1	8	1	44	
3. Warialda		{ 21	103	14	43	60	1	1	9	5	89	
Moree.....		{ 12	71	14	39	32	1	...	9	5	57	
Bingara		7	43	10	20	23	6	4	33	
4. Cassilis	13,004	{ 11	71	15	32	39	1	1	6	9	56	
Dubbo		{ 93	422	270	230	192	5	3	167	103	152	
6. Coonabarabran		{ 15	112	37	58	54	1	3	23	14	75	
Coonamble.....	2,219	{ 18	90	60	50	40	3	...	34	26	30	

B—continued.

District.	Popula- tion, Census, 1881.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
III.—NORTH-WESTERN—contd.												
7. Molong	6,877	28	241	52	126	115	6	6	23	29	189	
8. Forbes	7,759	31	181	78	90	91	2	4	53	25	103	
Condobolin		8	50	19	28	22	13	6	31	
Parkes		21	84	23	47	37	2	1	13	10	61	
9. Walgett	3,490	27	108	68	55	53	3	7	53	15	40	
10. Narrabri.....		33	140	80	72	68	2	7	51	29	60	
Total	453	2,458	1,011	1,269	1,189	45	50	624	387	1,447	
IV.—METROPOLITAN.												
1. City of Sydney	103,879	1,953	3,754	2,525	1,877	1,877	220	220	1,411	1,114	1,229	
2. Balmain	16,929	118	808	298	415	393	6	8	176	122	510	
Leichhardt		10	71	30	34	37	2	1	20	10	41	
3. Glebe	10,856	111	508	259	260	248	17	11	149	110	249	
4. Newtown	15,745	173	746	372	352	394	12	14	186	186	374	
5. Redfern	23,638	84	695	285	366	329	6	14	141	141	410	
6. Waterloo		85	569	231	280	289	8	11	123	108	338	
7. Paddington		96	573	233	288	285	8	8	118	115	340	
Randwick		9	44	19	22	22	13	6	25	
Waverley		22	105	54	44	61	1	2	26	28	51	
Woollahra		48	132	48	64	68	3	1	25	23	84	
8. Canterbury	22,434	96	470	213	244	226	3	8	121	92	257	
Petersham		152	693	260	385	308	6	7	137	123	433	
9. St. Leonards	11,010	90	411	168	195	216	3	1	87	81	243	
Manly.....		15	51	27	21	30	16	11	24	
Total	3,062	9,630	5,022	4,847	4,783	295	306	2,749	2,273	4,608	
V.—EAST MIDLAND.												
1. Newcastle	15,596	168	689	254	334	355	16	10	155	99	435	
Lambton		37	280	95	145	135	6	2	56	39	185	
Wallsend		48	353	99	193	160	6	7	57	42	254	
Waratah		3	27	11	12	15	5	6	16	
2. Wollombi		9	67	24	34	33	2	...	15	9	43	
3. M'Donald River	5,334	6	20	6	8	12	...	1	4	2	14	
4. Brisbane Water		9	106	30	50	56	...	1	15	15	76	
5. Windsor		37	225	81	120	105	6	7	38	43	144	
6. Richmond		23	136	40	68	68	2	5	22	18	96	
7. Penrith	6,031	39	225	81	123	102	2	8	39	42	144	
8. Parramatta	8,432	87	305	347	145	160	13	8	272	75	
Central Cumberland.....		29	315	113	157	158	8	2	60	53	202	
9. Ryde	15,256	35	106	112	50	56	1	1	70	42	
10. Liverpool		25	116	335	64	52	1	4	302	33	
11. Campbelltown		26	107	43	51	56	...	3	25	18	64	
12. Camden		13	106	50	49	57	1	...	32	18	56	
13. Picton		14	110	55	49	61	4	2	34	21	55	
Total	608	3,293	1,776	1,652	1,641	68	61	1,201	575	1,784	
VI.—WEST MIDLAND.												
1. Carcoar	10,482	40	344	94	179	165	5	10	60	34	250	
2. Cowra.....		29	134	34	69	65	3	1	17	17	100	
3. Hartley	8,673	51	334	112	169	165	4	3	64	48	222	
4. Bathurst		109	310	151	169	141	9	9	96	55	159	
East Macquarie.....		25	216	79	106	110	7	6	49	30	137	
West Macquarie		16	174	45	97	77	5	4	21	24	129	
5. Sofala.....		7	64	29	27	37	1	1	22	7	35	
6. Orange	9,472	72	380	135	187	193	9	8	82	53	245	
7. Wellington	6,034	37	204	66	102	102	...	5	47	19	138	
8. Tambaroora		1	11	11	9	2	8	3	
Hill End		7	52	16	26	26	13	3	36	
9. Mudgee	17,977	60	339	115	171	168	9	6	67	48	224	
Gulgong		28	112	35	48	64	3	6	19	16	77	
10. Rylstone.....		34	171	86	84	87	4	5	50	36	85	
Total	516	2,845	1,008	1,443	1,402	59	64	615	393	1,837	
VII.—SOUTH-EASTERN.												
1. Wollongong	7,209	36	182	54	103	79	1	3	32	22	128	
Woonona		5	85	14	48	37	1	...	3	11	71	
2. Kiama	5,735	40	175	49	93	82	2	4	28	21	126	
3. Berrima	*	28	179	60	86	93	1	...	30	30	119	
Robertson		8	72	9	35	37	6	3	63	
4. Shoalhaven	8,393	48	240	73	109	131	4	3	43	30	167	
5. Ulladulla		17	56	14	27	29	2	...	12	2	42	
6. Broulee		23	112	22	54	58	1	...	14	8	90	
7. Eden	11,484	4	67	11	32	35	6	5	56	
8. Bega		43	235	42	125	110	4	4	17	25	193	
		252	1,403	348	712	691	16	14	191	157	1,055	

* Included in Camden.

B—continued.

District.	Population, Census, 1881.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
VIII.—SOUTH MIDLAND.												
1. Braidwood	6,948	39	200	77	105	95	5	4	50	27	123	
2. Cooma	58	279	76	135	144	5	8	47	29	203		
3. Bombala.....	29	139	34	70	69	3	1	21	13	105		
4. Goulburn	120	307	157	166	141	8	2	99	58	150		
Argyle	34	324	96	172	152	9	6	55	41	228		
Crookwell	17	57	33	32	25	23	10	24		
5. Albury	5,715	90	227	111	117	110	4	7	70	41	116	
Hume	9,281	40	310	108	145	165	6	5	62	46	202	
6. Gundagai	22	145	61	78	67	...	4	35	26	84		
Adelong	28	115	43	60	55	2	3	26	17	72		
Cootamundra	31	126	46	66	60	1	...	24	22	80		
7. Tumut	17	117	47	61	56	2	2	33	14	70		
8. Yass	47	176	88	91	85	3	...	51	37	88		
Gunning	13	93	37	46	47	1	1	18	19	56		
9. Queanbeyan	43	192	66	108	84	3	4	45	21	126		
10. Burrowa	19	130	55	72	58	1	1	36	19	75		
Grenfell	13	108	38	59	49	1	4	24	14	70		
Temora	26	113	55	61	52	3	3	34	21	58		
11. Young	54	250	123	132	118	4	4	79	44	127		
Murrumburrah	7	84	32	56	28	22	10	52		
			747	3,492	1,383	1,832	61	59	854	529	2,109	
IX.—SOUTH-WESTERN.												
1. Deniliquin	36	132	71	56	76	3	1	48	23	61		
Jerilderie	5	27	19	19	8	1	1	11	8	8		
2. Moama	7	71	26	40	31	13	13	45		
3. Moulamein	4	22	2	13	9	1	...	2	...	20		
4. Balranald	17	55	17	26	29	11	6	38		
5. Bourke	45	170	113	75	95	3	3	82	31	57		
Cobar	42	93	75	50	43	1	1	49	26	18		
6. Hay	66	189	105	111	78	7	2	62	43	84		
Hillston	11	128	46	70	58	...	1	28	18	82		
7. Wentworth	25	76	20	35	41	1	...	13	7	56		
8. Wilcannia	30	77	81	40	37	1	...	55	26		
Milparinka.....	5	10	31	8	2	20	11		
Menindie	7	39	24	26	13	15	9	15		
9. Wagga Wagga	83	351	128	176	175	2	4	64	64	223		
Narrandera	25	115	54	54	61	1	2	38	16	61		
Urana.....	...	43	18	19	24	12	6	25		
Total		408	1,598	830	818	780	21	15	523	307	793	
GRAND TOTAL	6,948	29,702	12,816	15,087	14,615	635	626	7,596	5,220	17,172	

The deaths in the Districts of Wilcannia, Milparinka, Parramatta, Ryde, and Liverpool exceed the births by 292, which will reduce the excess of births over deaths to 16,880.

* Included in Balranald.

C.

MARRIAGES—1882.

Denominations.	Sydney.			Suburbs.			Country Districts.			Total.						
	Mar- riages	Marks.		Mar- riages	Marks.		Mar- riages	Marks.		Mar- riages	Marks.					
		M.	F.		M.	F.		M.	F.		M.	F.	Total.			
Church of England	776	36	47	83	409	15	13	28	1,583	110	121	231	2,768	161	181	342
Roman Catholic	300	23	31	54	201	15	20	35	814	64	68	132	1,315	102	119	221
Presbyterian	297	11	13	24	140	...	2	2	518	7	14	21	955	18	29	47
Wesleyan	88	6	5	11	108	508	13	10	23	704	19	15	34
Primitive Methodist ..	8	42	84	7	5	12	134	7	5	12
Congregational	317	21	35	56	110	1	2	3	89	2	3	5	516	24	40	64
Baptist	44	2	4	6	8	...	2	2	27	79	2	6	8
Hebrew	20	...	1	1	1	1	22	...	1	1
German Evangelical ..	6	2	6	1	...	1	14	1	...	1
Christians.....	2	2
Independent	2	2
Free Christian Church	1	2	3
Registrars' Offices	95	2	4	6	87	...	7	7	252	18	21	39	434	20	32	52
	1,953	101	140	241	1,109	31	46	77	3,886	222	242	464	6,948	354	428	782

D 1.

DEATHS from all causes of MALES, at different ages, registered in NEW SOUTH WALES, from 1st January to
31st December, 1882.

D 1—*continued.*

CAUSES OF DEATH.										
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.
CLASS III.—ORDER 1.										
1. Cephalitis	40	13	6	2	2	4	8	2	2	1
2. Apoplexy		1	1	1	1	3	...
3. Paralysis	1	2	3	5	15
4. Insanity	2	7	4	3	1	7
5. Chorea	2	4	3	18
6. Epilepsy	1	...	3	3	1	5	14
7. Convulsions	345	46	6	2	1	6	3	1	2	1
8. Brain Disease, &c....	18	4	6	3	2	11	5	8	5	16
	405	64	18	8	4	22	17	13	16	23
						27	32	45	52	38
ORDER 2.										
1. Pericarditis	2	...	2	1	1	...
2. Aneurism		6	1	1	...	6	10	6	3	2
3. Heart Disease, &c....	6	1	1	1	...	10	12	14	16	30
						18	20	33	36	44
								35	41	39
ORDER 3.										
1. Laryngitis	1	1	3	...	2	...	2	1	1	...
2. Bronchitis	171	41	14	4	2	8	4	2	1	1
3. Pleurisy	2	...	1	1	2	2	1	2	1	...
4. Ascites	60	35	13	2	4	12	8	11	35	20
4a. Congestion of the Lungs, pulmonary...	28	5	1	1	...	5	1	3	4	3
5. Asthma	2	...	1	1	...	1	1	1	2	1
6. Lung Disease, &c....	15	4	3	1	...	1	2	1	4	3
	279	86	34	9	8	25	22	15	48	31
						34	45	63	60	56
								63	60	56
ORDER 4.										
1. Gastritis	18	8	4	4	...	6	4	7	8	10
2. Enteritis	90	19	4	4	...	6	4	5	10	13
3. Peritonitis	3	1	1	2	4	5	6	3
4. Ascites	2	1	1	1	1	1	...
5. Ulceration of Intestines	2	1	1	1	1	1	1	1
6. Hernia	6	1	1	1	1	1	1
7. Ileus	9	1	1	1	1	1	1	1
8. Intussusception	1	1	1	1	1	1
9. Stricture of Intestines	1	1	1	1	1	1
10. Fistula	1	1	1	1	1	1
11. Stomach Disease, &c...	7	1	1	1	1	1	1
12. Pancreas Disease, &c...	3	1	1	2	3	3	3
13. Hepatitis	3	1	1	2	3	4	3
14. Jaundice	12	1	1	1	1	2	7	11
15. Liver Disease, &c....	2	1	1	2	7	11	18
16. Spleen Disease, &c...	1	1	1	2	7	11	10
	149	31	4	4	...	10	9	15	21	16
						9	19	22	35	36
							19	29	18	14
								8	6	474
ORDER 5.										
1. Nephritis	1	2	2	1	...	1	4	3
2. Ischuria	1	1	4	3	9	6
3. Nephritis	1	3	1	1	3	2	1
4. Diabetes	1	1	1	1	1
5. Stone	1	1	1	1	1
6. Crystitis	1	1	1	1	1	2	4
7. Kidney Disease, &c....	1	1	1	2	4	1
	4	6	3	3	2	6	10	11
						15	14	7	13	22
							18	14	8	6
								6	4	164
ORDER 6.										
1. Arthritis	1	1	...	1	...	23
1a. Osteitis, Periostitis, &c...	1	1	...	1	...	4
2. Joint Disease, &c....	1	1	...	1	...	68
	2	1	...	1	...	9
	1	...	1	...	4
						1	...	1	...	19
						3	...	1	...	37
						1	...	1	...	37
ORDER 7.										
1. Phlegmon	1	1	1	...	1	1	11
2. Ulcer	8	1	2	2	1	1	12
3. Skin Disease, &c....	9	2	2	2	1	1	23
Total, Class III.....	852	192	60	22	12	65	61	53	94	85
						94	125	167	192	196
							171	214	150	115
								130	23	3,073

D I—*continued.*

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth	162		
2. Cyanosis	10		
3. Spina Bifida	12		
4. Other Malformations..	103		63		
5. Teething	287		63		

D 2.

DEATHS from all causes of FEMALES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1882.

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER I.																						
1. Small-pox	2	1	1	1	11	
1a. Chicken-pox	3	1	7	
2. Measles	3	4	2	19	
3. Scarletina	1	91	
3a. Diphtheria	3	8	16	15	13	27	6	
4. Quinsy	1	..	1	1	3	
5. Croup	14	16	12	16	3	15	..	1	77	
6. Whooping-cough	38	12	6	4	..	2	62	
7. Typhoid (and Infantile Fever)	11	7	7	7	4	4	13	22	25	29	22	15	9	11	5	3	1	1	1	1	191	
8. Erysipelas	3	..	2	1	..	1	..	5	1	1	1	1	13	
9. Metria	3	9	27	
10. Carbuncle	1	
11. Influenza	12	2	4	2	1	26	
12. Dysentery	24	7	3	2	1	3	1	56	
13. Diarrhoea	261	69	12	6	2	4	1	1	3	2	5	408	
14. Cholera	22	7	3	1	..	1	1	1	2	1	1	45	
15. Ague	1	1	
16. Remittent Fever	1	1	1	1	4	
17. Rheumatism	1	1	1	3	1	4	1	1	1	1	1	1	1	1	1	1	1	23	
18. Pyæmia	2	
	392	139	70	55	26	75	34	32	46	38	28	22	22	14	14	12	15	12	11	12	1	1,070
ORDER 2.																						
1. Syphilis	10	13	
2. Stricture of the Urethra	1	
3. Hydrophobia	
4. Glanders	
	10	14	
ORDER 3.																						
1. Privation	
2. Want of Breast Milk	47	1	48	
3. Purpura and Scurvy	2	3	
4. Alcoholism—	
a. Del. Tremens.....	1	
b. Intemperance	34	
	47	3	1	2	2	4	7	4	8	1	2	2	..	1	1	86
ORDER 4.																						
1. Thrush	14	1	1	16	
2. Worms, &c.	1	1	..	1	3	
2a. Hydatid	6	
	14	1	1	1	1	1	..	1	..	1	3	..	1	25	
Total, Class I.....	463	143	71	56	27	77	34	33	49	41	35	29	27	23	15	15	18	12	12	13	2	1,195
CLASS II.—ORDER I.																						
1. Gout	3	4	1	..	2	2	1	4	2	2	2	8	2	1	3	1	1	..	5	
2. Dropsy	1	70	
3. Cancer	1	97	
3a. Tumour	1	17	
3b. Polypus	1	
4. Noma	2	1	1	2	1	1	2	1	16	
	5	4	1	1	4	..	2	1	8	5	12	14	17	26	15	19	24	15	22	11	..	206
ORDER 2.																						
1. Scrofula	2	2	1	1	8	
2. Tabes Mesenterica	52	21	1	1	76	
3. Phthisis	11	3	2	1	..	4	12	40	50	49	64	50	24	26	21	9	7	4	1	1	380	
3a. Haemoptysis	1	
4. Hydrocephalus	8	3	..	1	1	13	
4a. Abscess	1	1	8	
	74	29	3	2	1	6	13	41	52	49	66	50	25	29	21	10	7	4	2	1	1	486
Total, Class II	79	33	4	3	5	6	15	42	60	54	78	64	42	55	36	29	31	19	24	12	1	692

D 2—*continued.*

	CAUSES OF DEATH.										Total.											
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	
CLASS III.—ORDER 1.																						
1. Cephalitis	27	15	8	4	1	6	5	1	1	1	1	1	1	1	1	1	9	77	55	12	1	79
2. Apoplexy	1
3. Paralysis
4. Insanity
5. Chorea
6. Epilepsy
7. Convulsions	255	68	14	1	1	1
8. Brain Disease, &c.	15	1	2	1	2	2	5	5	4	1	1	1	1	1	1	1	1	1	1	1
	298	84	24	6	5	17	10	14	15	16	16	25	15	19	29	18	29	22	13	9	2	686
ORDER 2.																						
1. Pericarditis	1	3	1	5
2. Aneurism	5	...	2	1	5	8	6	17	16	13	17	16	19	17	26	16	24	12	3
3. Heart Disease, &c.	233
	5	...	2	...	1	6	8	7	20	17	13	17	16	19	18	27	16	24	12	13	...	241
ORDER 3.																						
1. Laryngitis	5	2	...	1	1	2	1	3	1	14
2. Bronchitis	123	38	11	8	2	8	4	4	1	2	3	6	3	6	5	4	14	16	20	17	2	297
3. Pleurisy	3	2	2	...	1	...	2	1	...	4	...	4	4	1	...	1	...	1	...	1	...	27
4. Pneumonia	49	19	14	9	3	10	9	9	7	18	13	16	12	11	10	3	10	5	6	5	1	239
4a. Congestion of the Lungs, pulmonary	29	4	3	2	...	2	...	1	4	3	1	3	2	1	3	2	1	2	2	1	4	69
5. Asthma	1	1	...	1	1	2	2	1	...	1	3	1	1	1	...	1	...	9
6. Lung Disease, &c.	3	1	1	1	...	1	1	2	2	1	...	1	3	1	1	1	...	1	...	20
	212	66	31	20	7	23	15	16	13	29	20	31	23	22	21	13	26	27	30	27	3	675
ORDER 4.																						
1. Gastritis.....	23	4	1	1	1	2	3	...	2	...	2	1	1	1	1	42
2. Enteritis	65	23	3	1	...	4	6	5	6	10	5	3	4	5	5	2	7	156
3. Peritonitis	5	2	1	1	4	8	6	4	1	3	2	...	2	1	1	1	...	40
4. Ascites	1	1	1	1	...	1	1	1	1	1	...	7
5. Ulceration of Intestines	1	2
6. Hernia	1	1	2	...	3	1	11
7. Ileus	2	1	1	...	1	1	...	1	1	1	1	...	7
8. Intussusception.....	1	1	...	1	1	5
9. Stricture of Intestines.....
10. Fistula	1	1	1	1	1	1	1	1	1	1	1	1	17
11. Stomach Disease, &c.	5	2	1	1	1	2	4	3	1	2	1	3	2	3	...
12. Pancreas Disease, &c.	1	1	1	1	1	1	1	1	1	1	1	1	1	28
13. Hepatitis	2	2	1	1	1	2	4	3	1	2	1	3	2	3	12
14. Jaundice	2	1	...	1	6	1	10	7	5	9	11	4	2	1	2	61
15. Liver Disease, &c.	1	1	...	1	1	1	1	10	7	5	9	11	4	2	1	2	...	
16. Spleen Disease, &c.
	107	28	5	1	1	7	8	9	13	27	18	28	18	28	21	20	12	19	10	8	...	388
ORDER 5.																						
1. Nephritis	1	1	1	1	1	1	2	1	1	1	1	9
2. Ischuria	1	2	...	1	1	2	...	1	1	2	4	3	3	7	4	2	2	1	4	1	42
3. Nephria	11
4. Diabetes
5. Stone
6. Cystitis	1	1	1	1	3	2	...	2	1	1	1	1	1
7. Kidney Disease, &c.	1	3	...	1	1	2	3	3	1	3	5	4	5	11	7	6	7	2	7	3	75
ORDER 6.																						
1. Ovarian Dropsy	1	3	3	2	1	1	1	1	2	1	1	1	1	4
2. Uterus Disease, &c.	1	3	3	2	1	1	1	1	2	1	1	1	1	14
	1	4	3	2	2	2	2	1	2	1	1	1	1	18
ORDER 7.																						
1. Arthritis	1	1	1	1	...	2	5
1a. Ostitis, Briostitis, &c.	1	1	1	1	3
2. Joint Disease, &c.	2	1	1	...	1	...	2	1	1	9
ORDER 8.																						
1. Phlegmon	1	1	1	1	...	1	...	1	6
2. Ulcer	9	1	1	1	1	1	11
3. Skin Disease, &c.	10	2	1	1	1	1	1	1	17
TOTAL, CLASS III.....	633	181	62	28	17	56	45	51	65	96	77	108	79	102	97	87	92	94	72	61	6	2,109

D 2—*continued.*

CAUSES OF DEATH.													
	Under 1 year.			1 to 2 years.			2 to 3 years.			3 to 4 years.			
	4 to 5 years.			5 to 10 years.			10 to 15 years.			15 to 20 years.			
	20 to 25 years.			25 to 30 years.			30 to 35 years.			35 to 40 years.			
	40 to 45 years.			45 to 50 years.			50 to 55 years.			55 to 60 years.			
60 to 65 years.			65 to 70 years.			70 to 75 years.			75 years and upwards.			Ages not specified.	
												Total.	
CLASS IV.—ORDER 1.													
1. Premature Birth	127	127	
2. Cyanosis.....	9	9	
3. Spina Bifida	3	3	
4. Other Malformations..	15	15	
5. Teething.....	95	51	146	
	219	51	300	
ORDER 2.													
1. Paramenia	3	
2. Childbirth (<i>see Metria</i>)	2	16	24	13	23	1	
	2	18	24	13	23	9	
ORDER 3.													
1. Old Age	1	265	
ORDER 4.													
1. Atrophy and Debility	333	34	2	369	
Total, Class IV	582	85	2	2	18	24	13	23	9	1,028
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.													
1. Fracture & Contusions	1	2	5	1	1	5	1	...	1	2	2	29	
2. Wounds { a. Gunshot	1	...	2	1	
b. Cuts.....	
3. Burns and Scalds	4	9	2	6	3	5	5	2	3	1	3	58	
3a. Sunstroke.....	...	1	...	1	1	...	1	...	1	1	1	6	
4. Poison	2	1	1	2	1	...	1	9	
4a. Bite of Snake or Insect	
5. Drowning	1	7	2	1	...	2	6	3	2	1	3	37	
6. Suffocation	7	1	...	1	9	
7. Otherwise	1	1	
	15	20	9	11	5	12	13	5	7	6	4	150	
ORDER 2.—													
VIOLENT DEATHS IN BATTLE													
1. Gunshot Wounds.....	
2. Sword and Bayonet Wounds	
3. Otherwise	
	
ORDER 3.—HOMICIDE.													
1. Murder	4	1	5	
2. Manslaughter	1	1	...	2	
	4	1	...	1	...	7	
ORDER 4.—SUICIDE.													
1. Wounds { Gunshot	
Cut, Stab, &c.....	
2. Poison	1	...	1	1	...	5	
3. Drowning	1	...	1	1	...	4	
4. Hanging	1	...	1	2	
5. Otherwise	
	2	...	1	1	...	11	
ORDER 5.—EXECUTION.													
1. Hanging	
Violent Deaths (not classed)	
Total, Class V	19	20	9	11	5	12	13	8	7	7	5	4	168
Sudden Deaths (cause uncertained)	
Causes not specified or ill-defined	1	1	...	2	2	1	28
GRAND TOTALS	1776	462	148	98	54	151	108	137	199	222	210	228	5220

D 3

DEATHS from all causes, of BOTH SEXES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1882.

CAUSES OF DEATH.																Total							
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.		
CLASS I.—ORDER 1.																							
1. Small-pox	5	2	1	1	...	2	3	2	...	3	...	21	15	7	2	2	3	2	5	23	
1a. Chicken-pox	2	...	1	4	3	...	1	3	1	1	1	1	1	10	
2. Measles	1	4	1	1	...	2	...	1	4	3	...	1	39	
3. Scarlatina	1	7	6	5	4	6	1	1	4	3	...	3	...	2	1	1	1	1	1	1	1	18	
3a. Diphtheria	10	17	32	26	21	53	7	1	...	3	...	1	...	1	...	3	3	3	3	3	3	175	
4. Quinsy	2	3	3	2	6	1	1	18	
5. Croup	31	35	31	29	17	25	3	2	173	
6. Whooping-cough	64	23	8	7	2	5	109	
7. Typhoid (and Infantile Fever)	23	15	12	10	8	27	31	51	69	62	33	29	23	21	15	7	2	2	2	3	5	450	
8. Erysipelas	11	1	2	1	...	3	1	1	1	1	3	3	4	1	1	1	1	2	2	40	
9. Metria	3	9	5	1	6	2	1	27	
10. Carbuncle	1	1	
11. Influenza	19	4	4	2	1	1	1	1	1	3	2	1	2	2	1	45	
12. Dysentery	48	15	6	3	1	3	2	1	7	1	4	5	3	6	11	10	17	9	7	7	162		
13. Diarrhoea	544	140	20	8	4	7	2	2	1	3	3	7	3	8	5	7	16	15	15	14	2	826	
14. Cholera	38	16	3	1	...	1	...	2	1	3	3	2	2	1	3	3	3	3	3	2	1	86	
15. Ague	1	1	...	1	1	1	4	
16. Remittent Fever	3	1	1	3	1	2	4	2	4	1	1	2	...	9	
17. Rheumatism	1	2	1	4	6	5	3	3	2	1	2	4	2	1	1	1	2	...	44	
18. Pyæmia	1	1	1	...	1	4	
	798	284	131	96	61	141	51	70	98	85	56	52	47	48	47	31	37	39	32	32	9	2,245	
ORDER 2.																							
1. Syphilis	23	2	1	2	...	1	1	1	1	1	1	30	
2. Stricture of the Urethra	1	2	...	3	5	2	1	1	1	14	
3. Hydrophobia	
4. Glanders	2	1	4	...	1	4	5	2	1	1	44	
	23	...	1	2	1	4	...	1	4	5	2	1	1	44	
ORDER 3.																							
1. Privation	1	3	2	1	1	4	4	1	9	4	1	1	10	42	
2. Want of Breast Milk	99	3	1	...	1	...	1	...	2	102	
3. Purpura and Scurvy	1	2	1	...	1	...	1	...	2	7	
4. Alcoholism—	1	2	4	8	4	7	3	...	1	1	2	2	3	34	
a. Del. Tremens	3	6	7	13	11	15	9	9	1	1	2	2	1	87	
b. Intemperance	1	
5. Rickets	1	5	11	13	22	18	26	16	10	19	4	4	3	14	273	
	101	5	2	5	11	13	22	18	26	16	10	19	4	4	3	14	273	
ORDER 4.																							
1. Thrush	36	2	...	1	1	1	39	
2. Worms, &c	1	1	1	1	...	1	...	1	3	...	2	1	2	1	3	
2a. Hydatid	12	
	36	2	1	1	2	1	...	1	...	1	3	...	2	1	2	1	54	
Total, Class I	958	291	133	97	63	144	51	71	105	98	72	74	67	79	63	42	60	50	39	35	24	2,616	
CLASS II.—ORDER 1.																							
1. Gout	4	...	2	1	5	4	6	4	5	4	3	12	13	10	28	15	25	14	4	11	
2. Dropsey	9	7	4	...	2	1	5	4	6	4	5	4	3	12	13	10	28	15	25	14	4	175	
3. Cancer	2	1	...	2	3	...	12	13	21	26	30	25	23	21	20	18	1	215
3a. Tumour	2	2	1	...	3	4	2	1	3	7	1	1	8	4	1	40	
3b. Polypus	1	1	
4. Noma	1	1	...	1	...	1	2	3	1	1	2	1	1	2	2	3	...	1	
5. Mortification	4	...	1	1	1	1	1	3	2	2	3	1	1	2	1	1	2	2	1	1	1	30	
	15	7	4	1	5	2	6	6	16	10	21	22	29	47	46	40	60	45	49	37	5	473	
ORDER 2.																							
1. Scrofula	4	3	1	1	1	1	3	2	...	2	19	
2. Tabes Mesenterica	111	45	2	1	1	1	7	18	72	117	125	131	108	83	76	71	28	17	14	8	2	3	161
3. Phthisis	21	5	6	4	1	7	18	72	117	125	131	108	83	76	71	28	17	14	8	2	3	917	
3a. Hæmoptysis	2	4	...	3	1	10	
4. Hydrocephalus	19	14	...	1	1	35	
4a. Abscess	1	...	1	2	1	...	1	...	1	1	1	1	3	...	2	...	1	1	1	1	1	17	
	156	67	10	9	3	10	19	75	120	128	138	109	84	82	72	30	17	15	9	3	3	1,159	
Total, Class II	171	74	14	10	8	12	25	81	136	138	159	131	113	129	118	70	77	60	58	40	8	1,632	

D 3—*continued.*

CAUSES OF DEATH.																			Ages not specified.	Total.			
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.				
CLASS III.—ORDER 1.																							
1. Cephalitis	67	28	14	6	3	10	13	3	6	4	1	3	1	3	1	5	1	1	1	169			
2. Apoplexy	1	1	1	2	3	2	4	5	12	10	25	27	24	33	22	11	13	3	199	
3. Paralysis	1	...	3	3	4	13	8	13	9	17	17	25	22	19	18	...	172	
4. Insanity	2	1	...	1	2	6	3	3	10	3	...	1	1	33	2	
5. Chorea	1	...	1	33	
6. Epilepsy	2	1	11	6	5	6	8	8	6	5	9	9	2	3	5	2	3	1	92	
7. Convulsions	600	114	20	2	1	2	...	1	1	1	10	10	17	15	15	17	12	13	10	11	9	2	741
8. Brain Disease, &c.	33	5	8	4	4	18	5	13	10	10	10	17	15	15	17	12	13	10	11	9	2	236	
	703	148	42	14	9	39	27	27	28	32	39	52	47	64	81	59	79	60	45	43	6	1,644	
ORDER 2.																							
1. Pericarditis	2	...	1	5	2	2	1	1	...	1	1	...	1	...	1	...	17	
2. Aneurism	1	...	1	...	1	2	3	2	3	6	6	3	3	2	32	
3. Heart Disease, &c.	11	1	3	1	1	11	18	12	20	28	27	33	46	49	55	59	53	61	37	33	6	565	
	11	1	3	1	1	14	18	13	26	33	31	37	49	55	62	62	57	63	37	34	6	614	
ORDER 3.																							
1. Laryngitis	6	3	3	1	1	4	1	...	3	2	24	
2. Bronchitis	294	79	25	12	4	16	8	6	5	5	4	10	9	11	15	27	38	24	35	51	3	681	
3. Pleurisy	5	2	2	1	2	2	4	1	1	6	2	10	9	7	7	3	3	2	1	2	...	72	
4. Pneumonia	109	54	27	11	7	22	17	20	42	38	38	42	54	48	36	27	38	25	22	14	5	696	
4a. Congestion of the Lungs, Pulmonary.	57	9	4	3	...	2	5	2	7	7	3	7	5	6	10	8	9	6	3	6	1	160	
5. Asthma	2	1	...	1	...	1	...	1	5	3	5	2	6	3	3	3	4	...	40		
6. Lung Disease, &c.	18	5	4	1	...	2	2	2	5	4	5	2	3	3	7	5	6	1	1	...	77		
	491	152	65	29	15	48	37	31	61	60	54	76	86	82	77	76	97	61	64	78	10	1,750	
ORDER 4.																							
1. Gastritis	41	12	1	...	1	...	1	...	1	3	3	...	4	2	2	1	1	2	2	3	79		
2. Enteritis	155	42	7	5	...	10	10	12	14	20	8	7	10	10	11	6	7	13	3	2	...	352	
3. Peritonitis	8	1	3	3	5	9	9	6	5	3	3	3	1	3	2	64		
4. Ascites	1	2	1	1	2	2	2	1	1	2	1	2	...	17		
5. Ulceration of Intestines	2	1	1	1	...	1	...	1	1	1	1	1	1	1	1	2	1	...	13		
6. Hernia	3	1	1	...	1	...	1	3	1	5	2	1	1	2	1	...	26		
7. Ileus	11	1	...	1	...	1	...	2	1	2	3	6	...	2	2	33		
8. Intussusception	1	1	1	...	1	...	1	...	1	...	1	1	1	1	1	1	1	...	6		
9. Stricture of Intestines	
10. Fistula	
11. Stomach Disease, &c.	12	1	2	2	2	2	1	1	8	...	1	3	4	1	...	39		
12. Pancreas Disease, &c.	1	...	3	3	4	1	5	5	5	1	3	4	7	5	3	...	55	
13. Hepatitis	5	1	...	1	1	1	1	1	1	1	1	2	1	...	31		
14. Jaundice	14	1	1	...	1	1	1	1	1	1	1	2	1	2	...	145		
15. Liver Disease, &c.	2	...	1	...	1	2	...	2	7	3	17	14	16	27	21	17	5	5	3	2	...	2	
16. Spleen Disease, &c.	1	2	2	1	2	1	2	
	256	59	9	5	1	17	17	24	34	43	27	47	40	63	57	39	41	37	24	16	6	862	
ORDER 5.																							
1. Nephritis	1	3	2	...	1	1	1	...	1	...	1	5	4	1	3	5	2	1	1	...	32		
2. Ischuria	1	1	1	2	...	2	5	5	13	9	8	14	8	9	9	4	6	7	...	110	
3. Nephritis	2	5	3	...	1	1	1	3	2	...	1	...	3	2	...	3	1	...	20		
4. Diabetes	1	1	...	1	...	4		
5. Stone	1	1	...	1	...	4		
6. Cystitis	1	1	1	2	2	1	2	...	2	4	6	3	3	11	10	1	2	...	20		
7. Kidney Disease, &c.	49		
	5	9	3	1	1	2	6	5	7	9	15	15	20	25	14	19	29	22	13	19	...	239	
ORDER 6.																							
1. Ovarian Dropsy	1	3	3	2	1	1	1	2	1	4		
2. Uterus Disease, &c.	1	4	3	2	2	2	2	1	2	1	14		
	1	4	3	2	2	2	2	1	2	1	18		
ORDER 7.																							
1. Arthritis	1	1	1	1	1	...	2	...	1	...	1	8	
1a. Osteitis, Periostitis, &c.	1	1	1	1	1	...	1	2	
2. Joint Disease, &c.	1	1	1	...	1	...	1	5	
	...	2	2	1	1	2	1	...	2	1	...	2	1	15	
ORDER 8.																							
1. Phlegmon	1	1	1	1	1	1	1	1	1	1	1	1	
2. Ulcer	2	1	1	...	1	...	1	1	1	1	1	1	1	1	1	1	1	1	...	17	
3. Skin Disease, &c.	17	1	1	...	1	...	1	...	1	...	1	...	2	1	1	23	
	19	2	2	1	3	2	1	1	1	1	1	1	1	40	
TOTAL, CLASS III.....	1485	373	122	50	29	121	106	104	159	181	171	231	246	296	293	258	306	244	187	191	29	5,182	

D 3—*continued.*

CAUSES OF DEATH.		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.		
CLASS IV.—ORDER 1.																									
1. Premature Birth	289	289		
2. Cyanosis	19	19			
3. Spina Bifida	3	3			
4. Other Malformations..	27	27			
5. Teething	198	114	312			
	536	114	650			
ORDER 2.																									
1. Paramenia	3			
2. Childbirth (<i>see Metria</i>)	91			
	1			
	94			
ORDER 3.																									
1. Old Age	1	115	78	180	504	4	882
ORDER 4.																									
1. Atrophy and Debility	705	68	3	776	
Total, Class IV	1,241	182	3	2	18	24	13	23	9	4	...	1	115	78	180	504	5	2,404	
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																									
1. Fractures & Contusions	1	2	6	3	2	22	20	26	24	29	36	36	33	28	24	14	20	9	6	4	6	351			
2. Wounds { a. Gunshot.	3	...	6	7	1	1	2	1	1	1	23			
b. Cuts....	4	1	1	1	1	1	1	1	1	1	1	1	2	3	4	4	2	1	15		
3. Burns and Scalds	8	12	13	10	5	5	5	5	3	3	3	3	3	3	1	2	1	3	4	4	2	1	96		
3a. Sunstroke.....	...	1	2	1	1	1	1	1	3	3	2	3	3	2	2	1	1	5	2	1	1	36			
4. Poison	2	2	2	1	1	1	1	2	1	4	2	4	2	1	4	2	1	3	2	38			
4a. Bite of Snake or Insect		
5. Drowning	1	11	17	5	4	25	22	15	17	19	15	17	10	5	12	4	7	3	1	1	6	216			
6. Suffocation.....	20	2	...	1	1	1	1	1	1	1	1	1	1	1	1	1	29		
7. Otherwise	1	2	1	1	1	1	1	1	1	1	1	1	6		
	36	30	40	22	13	59	50	57	56	59	62	69	53	40	44	25	37	22	13	9	14	810			
ORDER 2.—VIOLENT DEATHS IN BATTLE.																									
1. Gunshot Wounds.....		
2. Sword and Bayonet Wounds		
3. Otherwise		
ORDER 3.—HOMICIDE.																									
1. Murder	4	1	1	...	2	3	1	...	1	2	1	7	
2. Manslaughter	2	...	1	2	3	1	...	2	2	13	
	6	...	1	1	2	3	1	...	3	2	1	20	
ORDER 4.—SUICIDE.																									
1. Wounds { Gunshot	1	2	2	1	2	1	1	2	1	1	2	1	1	1	6	
Cut, Stab, &c	1	1	1	1	1	1	1	1	1	1	1	1	1	10		
2. Poison	1	...	1	1	1	1	1	1	1	1	1	1	1	1	13		
3. Drowning	1	1	3	2	1	1	2	1	1	1	1	9		
4. Hanging.....	1	1	1	1	2	1	2	2	2	2	2	2	2	13		
5. Otherwise	1	...	1	1	1	1	1	1	1	1	1	1	1	2		
	2	1	3	4	4	7	6	8	6	6	4	1	1	55		
ORDER 5.—EXECUTION.																									
1. Hanging.....	1	1	1	1	1	1	1	1	1	1	1	1	1	3		
Violent Deaths (not classed)	1	...	2	2	2	1	1	3	2	1	1	1	1	1	16		
Total, Class V	42	30	41	22	13	59	51	60	59	68	70	76	64	49	55	33	44	27	14	9	18	904			
Sudden Deaths (cause unascertained)		
Causes not specified or ill-defined	1	3	1	...	2	2	1	3	7	8	2	2	2	2	46	80		
GRAND TOTAL	3,897	950	313	179	113	337	236	319	477	511	487	536	502	564	537	406	604	461	478	779	130	12,816			

E 1.

DEATHS from all causes, of MALES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1882.

CAUSES OF DEATH.	Under 1 year.																		Total.					
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.						
CLASS I.—ORDER 1.																								
1. Small-pox	2	1	9				
1a. Chicken-pox	1	1				
2. Measles	2				
3. Scarlatina	14				
3a. Diphtheria	7				
4. Quinsy				
5. Croup	5	3	2				
6. Whooping-cough	3	1	2	1				
7. Typhoid (and Infantile Fever)	1	1	1	2	4	1	5	9	14	5	4	6	3	5	62				
8. Erysipelas	1	1	3				
9. Metria				
10. Carbuncle				
11. Influenza				
12. Dysentery	1	7				
13. Diarrhoea	61	10	3	85				
14. Cholera	1	2	6				
15. Ague	2				
16. Remittent Fever				
17. Rheumatism	3				
18. Pyæmia	1	1				
	74	20	6	6	3	6	2	6	12	14	6	5	10	10	8	1	2	3	4	5	203			
ORDER 2.																								
1. Syphilis	8	9				
2. Stricture of the Urethra	1				
3. Hydrocephalus				
4. Glanders				
	8	10				
ORDER 3.																								
1. Privation				
2. Want of Breast Milk...	16	2	18				
3. Purpura and Scurvy...	1	1				
4. Alcoholism—				
a. Del. Tremens...	20				
b. Intemperance...	17				
5. Rickets	1	1				
	18	2	57				
ORDER 4.																								
1. Thrush	5	5				
2. Worms, &c.				
2a. Hydatid				
	5	5				
Total, Class I.....	105	22	6	6	3	6	2	6	15	17	10	12	16	20	10	3	3	3	1	275				
CLASS II.—ORDER 1.																								
1. Gout	2				
2. Dropsey	3	15				
3. Cancer	29				
3a. Tumour	1	9				
3b. Polypus				
4. Noma				
5. Mortification	1	2				
	5	2	1	1	2	6	5	1	6	6	4	5	3	55				
ORDER 2.																								
1. Scrofula	1	1				
2. Tabes Mesenterica ..	15	5	1	7	21	29	19	17	14	15	14	4	5	20				
3. Phthisis	1	..	2	1	2	3	2	7				
3a. Hæmoptysis				
4. Hydrocephalus	1	1	1				
4a. Abscess	1	1	1	6				
	17	6	3	2	1	7	21	32	22	18	14	17	14	5	5	2	189			
Total, Class II	22	8	3	2	1	8	22	34	28	23	15	23	20	9	10	7	3	4	2	244

E 1—continued.

E 1—continued.

CAUSES OF DEATH.	Under 1 year.																					
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.			
	29			
	6			
			
			
CLASS IV.—ORDER 1.																						
1. Premature Birth	29	29		
2. Cyanosis	6	6		
3. Spina Bifida		
4. Other Malformations	6	6		
5. Teething	11	7	18		
	52	7	59		
ORDER 3.																						
1. Old Age	22		
ORDER 4.																						
1. Atrophy and Debility	77	7	84		
Total, Class IV	129	14	165		
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	4	3	4	5	7	7	11	6	5	5	1	...	61		
2. Wounds { a. Gunshot	1	1	1	3		
b. Cuts	1	1	1	1		
3. Burns and Scalds	1	1	1	1		
3a. Sunstroke	1	1	1	1		
4. Poison	1	1	1	1		
4a. Bite of Snake or Insect	2	3	2	2	5	1	1	1	16		
5. Drowning	1	1	1	2	7	6	3	1	...	1	2		
6. Suffocation	1	1	1	1	1	1	1	1	1	3		
7. Otherwise	1	1	1	1	1	1	1	1	3		
	1	...	1	7	5	5	8	10	10	16	7	7	6	3	1	...	1	...	88	
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds		
2. Sword and Bayonet Wounds		
3. Otherwise		
ORDER 3.—HOMICIDE.																						
1. Murder	2	...	1	1	1	1	4		
2. Manslaughter	1	1	1	2		
	2	...	1	1	1	1	6		
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot	1	1	1	1		
Cut, Stab, &c.	1	1	1	1	2		
2. Poison	1	1	1	2	2		
3. Drowning	1	1	1	1	2		
4. Hanging	1	1	1	1	2		
5. Otherwise	1	1	1	2	2	1	1		
	1	1	1	2	2	1	1	9		
ORDER 5.—EXECUTION.																						
1. Hanging		
Violent Deaths, not classed (Open Verdicts—Found drowned, &c.)	1	...	2	2	2	1	1	3	2	1	1	16		
Total, Class V	3	...	2	7	6	5	9	13	14	19	10	11	10	6	2	1	...	119		
Causes not specified or ill-defined	2	...	1	1	3	3	1	1	27		
GRAND TOTALS	399	84	23	11	6	21	17	26	74	88	76	84	77	105	83	51	52	37	32	45	20	1,411

E 2.

DEATHS from all causes, of FEMALES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1882.

CAUSES OF DEATH																								
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.		
CLASS I.—ORDER 1.																								6
1. Small-pox	1																						1	2
1a. Chicken-pox	1																						7	6
2. Measles			2																				6	6
3. Scarlatina			1																					
3a. Diphtheria			2																					
4. Quinsy			1																					
5. Croup			1																					
6. Whooping-cough			1																					
7. Typhoid (and Infantile Fever)	2	1	1	1	1	1	1	2	4	5	3	3	4	4	1	1	1	1	1	1	1	1	1	34
8. Erysipelas	1		1																				4	2
9. Metria																								
10. Carbuncle																								
11. Influenza																								
12. Dysentery	2	1																					7	
13. Diarrhoea	65	14	3																				99	
14. Cholera	4	2																					10	
15. Ague																								
16. Remittent Fever		1																					1	
17. Rheumatism																							2	
18. Pyæmia																							1	
	79	25	8	3	5	4	2	6	7	5	4	10	5	2	2	2	2	5	6	5	1	189		
ORDER 2.																								8
1. Syphilis	7																							
2. Stricture of the Urethra																								
3. Hydrocephalus																								
4. Glanders																								
	7																							8
ORDER 3.																								
1. Privation																								
2. Want of Breast Milk..	6	1																					7	1
3. Purpura and Scurvy		1																						
4. Alcoholism :—																								
a. Del. Tremens.....																							1	
b. Intemperance																							22	
	6	2																						31
ORDER 4.																								
1. Thrush	1																							1
2. Worms, &c.		1	1																				2	
2a. Hydatid																								
	1		1	1																				3
Total, Class I.....	93	27	9	4	5	4	2	6	9	7	7	16	7	7	2	4	6	4	6	6	6	231		
CLASS II.—ORDER 1.																								
1. Grout																								2
2. Dropsy	2	1	1																					16
3. Cancer																								26
3a. Tumour																								2
3b. Polypus																								1
4. Noma																								1
5. Mortification																								
	2	1	1		1																			48
ORDER 2.																								
1. Scrofula	1	1																						3
2. Tabes Mesenterica....	11	6	1																					20
3. Phthisis	2	2																						127
3a. Hæmoptysis																								
4. Hydrocephalus	4	1			1																			6
4a. Abscess	1				1																			4
	19	10	1	1		3	1	13	13	15	24	26	15	8	6	1	2	1	3	5	1	1	160	
Total, Class II.	21	11	2	1	1	3	1	13	14	16	27	33	22	12	10	5	7	3	5	1	1	1	208	

E 2—*continued.*

CAUSES OF DEATH.

	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS III.—ORDER 1.																							
1. Cephalitis	5	5	5	4	2	1	2	2	4	6	6	5	3	11	5	4	12	4	1	1	2	25	
2. Apoplexy																							24
3. Paralysis																							14
4. Insanity																							
5. Chorea																							
6. Epilepsy																							
7. Convulsions	38	4	5	...	1	1	...	2	...	1	1	...	1	...	1	...	1	...	1	...	1	51	
8. Brain Disease, &c.....	2	1	1	2	...	1	1	2	...	1	1	2	...	1	17
	45	9	9	2	2	3	2	2	4	6	6	5	3	11	5	4	12	3	3	2	1	1	142
ORDER 2.																							
1. Pericarditis																							1
2. Aneurism																							1
3. Heart Disease, &c.....	2	2	2	1	2	4	1	6	3	7	4	8	5	3	2	1	52
	2	2	2	1	3	4	1	6	3	7	4	8	5	3	2	1	54
ORDER 3.																							
1. Laryngitis	2	1	...	1	2	1	1	...	1	1	2	1	1	1	1	1	4
2. Bronchitis	29	8	1	1	1	1	1	2	1	1	2	1	1	1	1	1	1	61
3. Pleurisy	1	1	...	1	2	1	2	1	2	1	1	1	1	1	1	1	5
4. Pneumonia	5	1	2	1	2	2	...	5	4	1	4	1	4	2	1	2	1	1	2	1	38
4a. Congestion of the Lungs, pulmonary	4	1	2	2	...	1	...	1	...	1	2	1	1	1	2	1	1	1	1	1	1	1	16
5. Asthma	1	...	1	1	1	2	1	1	1	1	1	1	1	4
6. Lung Disease, &c.....	...	1	1	...	1	2	1	2	1	1	1	1	1	1	1	5
	40	11	6	3	...	2	2	3	1	6	1	10	9	3	9	2	10	6	4	5	133
ORDER 4.																							
1. Gastritis.....	20	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	28
2. Enteritis	5	1	2	1	...	3	1	1	1	1	2	1	1	1	1	1	1	11
3. Peritonitis	2	1	...	1	1	1	2	1	1	1	1	1	1	1	1	1	9
4. Ascites	1	1	...	1	5	4	1	4	1	4	2	1	1	2	1	1	1
5. Ulceration of Intestines
6. Hernia	4
7. Ileus	1
8. Intussusception.....	1	2
9. Stricture of Intestines.....
10. Fistula
11. Stomach Disease, &c..	4
12. Pancreas Disease, &c..
13. Hepatitis	1	1	1	1	1	2	1	1	1	1	1	1	7
14. Jaundice	1	1	3	3	3	1	4	4	4	2	1	1	1	1	7
15. Liver Disease, &c.....	20
16. Spleen Disease, &c.....
	31	2	1	3	...	2	3	4	8	4	8	6	11	1	4	4	2	94
ORDER 5.																							
1. Nephritis	1	1	1	1	1	1	1	3
2. Ischuria	1	...	1	1	2	1	2	3	1	1	1	1	1	1	1	16
3. Nephria	1	...	1	1	2	1	2	3	1	1	1	1	1	1	1	2
4. Diabetes
5. Stone
6. Cystitis
7. Kidney Disease, &c.....	1	...	1	...	1	1	2	1	2	4	3	1	4	
	1	...	1	...	1	1	2	1	2	4	3	1	4	21
ORDER 6.																							
1. Ovarian Dropy	1	1	1	1	1	1	1	1	1	1	1	1	1	4
2. Uterus Disease, &c.	2	1	1	1	2	1	1	1	1	1	1	1	1	9
	2	1	1	1	2	1	1	1	1	1	1	1	1	...
ORDER 7.																							
1. Arthritis	2	2
1a. Ostitis, Periostitis, &c.	1	2	2
2. Joint Disease, &c.....	1	2	4
ORDER 8.																							
1. Phlegmon	1	...	1	...	1	1	1	1	1	1	1	1	1	1	1	1
2. Ulcer	1	...	1	...	1	1	1	1	1	1	1	1	1	1	1	3
3. Skin Disease, &c.....	2	1	...	1	...	1	1	1	1	1	1	1	1	1	1	1	4
	2	1	...	1	...	1	1	1	1	1	1	1	1	1	1	1	4
Total, Class III.....	120	22	16	5	3	8	9	8	10	22	16	32	21	33	29	29	32	16	17	11	2	...	461

E 2—continued.

CAUSES OF DEATH.	Under 1 year.																					
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS IV.—ORDER 1.																					25	
1. Premature Birth	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
2. Cyanosis.....																						
3. Spina Bifida																						
4. Other Malformations..																						
5. Teething.....																						
	40	9	49	
ORDER 2.																						
1. Paramenia																					1	
2. Childbirth (<i>see</i> Metria)																					8	
																					9	
ORDER 3.																						
1. Old Age.....																					40	
ORDER 4.																						
1. Atrophy and Debility	56	5	2	63	
Total, Class IV	96	14	2	3	3	1	2	1	5	2	5	27	161
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																						
1. Fracture & Contusions		1	1	...	1	2	1	1	5	2	5	27	7
2. Wounds { a. Gunshot																						
b. Cuts.....																						
3. Burns and Scalds	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10	
3a. Sunstroke.....																					2	
4. Poison																						
4a. Bite of Snake or Insect																						
5. Drowning																						
6. Suffocation	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Otherwise																					3	
	4	3	2	1	1	3	1	1	1	1	1	1	1	1	2	2	2	2	23	
ORDER 2.—																						
VIOLENT DEATHS IN BATTLE																						
1. Gunshot Wounds																						
2. Sword and Bayonet Wounds																						
3. Otherwise																						
ORDER 3.—HOMICIDE.																						
1. Murder	4	1	1	1	1	1	4	
2. Manslaughter																	1	1	1	1	2	
	4	1	1	1	1	1	6	
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot																						
Cut, Stab, &c																						
2. Poison																						
3. Drowning																						
4. Hanging.....																						
5. Otherwise																						
ORDER 5.—EXECUTION.																						
1. Hanging.....																						
Violent Deaths (not classified)																						
Total, Class V	8	3	2	1	1	3	1	2	2	1	2	1	2	2	2	2	31	
Causes not specified or ill-defined.....										2	...	1	2	2	1	...	14	22		
GRAND TOTALS	338	77	31	11	10	18	12	27	37	50	55	84	53	55	43	39	50	28	35	45	1,114	

E 3.

DEATHS from all causes, of BOTH SEXES, at different ages, registered in SYDNEY, from 1st January to 1st December, 1882.

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox	2	2	15
1a. Chicken-pox	1	1	1
2. Measles	1	3
3. Scarletina	2	8
3a. Diphtheria	2	2
4. Quinsy	1	20
5. Croup	3	13
6. Whooping-cough	2
7. Typhoid (and Infantile Fever)	2
8. Erysipelas	1	7
9. Métria	2
10. Carbuncle
11. Influenza	1
12. Dysentery	3	1	14
13. Diarrhoea	24	6	184
14. Cholera	5	4	16
15. Ague	1	2
16. Remittent Fever	1
17. Rheumatism	5
18. Pyæmia	1	2
	153	45	14	9	8	10	4	12	19	19	10	15	15	12	10	3	7	7	10	10	..	392
ORDER 2.																						
1. Syphilis	15	17
2. Stricture of the Urethra	1
3. Hydrocephalus	14
4. Glanders	184
	15	18
ORDER 3.																						
1. Privation
2. Want of Breast Milk	22	3	25
3. Purpura and Scurvy	1	1	2
4. Alcoholism—
a. Del. Tremens	21
b. Intemperance	39
5. Rickets	1	1
	24	4	88
ORDER 4.																						
1. Thrush	6	6
2. Worms, &c	1	1	2
2a. Hydatid
	6	..	1	1	8
Total, Class I	198	49	15	10	8	10	4	12	24	24	17	28	23	27	12	7	9	7	10	11	1	506
CLASS II.—ORDER 1.																						
1. Gout	2
2. Dropsy	5	3	1	31
3. Cancer	55
3a. Tumour	1	11
3b. Polypus	1
4. Noma	3
5. Mortification	1	103
	7	3	1	1	1	2	3	9	12	8	10	10	8	10	7	8	3	..
ORDER 2.																						
1. Serofula	2	1	4
2. Tabes Mesenterica	26	11	1	40
3. Phthisis	3	2	2	1	281
3a. Haemoptysis	7
4. Hydrocephalus	4	2	..	1	7
4a. Abscess	1	..	1	1	10
	36	16	4	3	..	3	2	20	34	47	46	44	29	25	20	6	7	3	..	2	2	349
Total, Class II	43	19	5	3	1	3	2	21	36	50	55	56	37	35	30	14	17	10	8	5	2	452

E 3—continued.

CAUSES OF DEATH.		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS III.—ORDER 1.																								
1. Cephalitis	11	10	5	3	3																		48	
2. Apoplexy																		57	
3. Paralysis																		25	
4. Insanity.....	2																		4	
5. Chorea	
6. Epilepsy.....																		20	
7. Convulsions	88	7	9	1	1																		110	
8. Brain Disease, &c.	3																		31	
	104	17	14	4	4	7	2	3	8	12	8	7	10	20	14	12	20	11	6	10	2		295	
ORDER 2.																								
1. Pericarditis				1	...													5	
2. Aneurism				3	6	2	3	7	6	10	8	18	16	17	11	1	3	9	
3. Heart Disease, &c....	4				4	6	2	5	9	7	12	9	20	17	18	11	7	5	1	129
	4																		143	
ORDER 3.																								
1. Laryngitis	2	1	1																		8	
2. Bronchitis	63	18	2	2	...																		133	
3. Pleurisy	1	1																		14	
4. Pneumonia	11	7	4				2	3	4	5	11	6	12	11	6	13	3	6	4	6	1	115
4a. Congestion of the Lungs, Pulmonary.	9	3	3	2	...				1	1	...	1	1	...	3	2	2	2	1	2	1	1	32	
5. Asthma	1	...				1	1	...	1	1	...	2	1	2	1	1	1	1	1	8	
6. Lung Disease, &c....	1	...				2	2	2	1	2	1	1	1	1	1	10	
	85	30	11	4	1	3	5	6	11	13	8	24	19	14	22	8	19	12	11	13	1		320	
ORDER 4.																								
1. Gastritis.....	35	7	1				1	2	...	3	2	...	1	1	1	1	1	1	1	1	49	
2. Enteritis	10	1				1	2	...	3	2	1	2	2	1	1	2	1	1	1	30	
3. Peritonitis	3	1				2	...	4	...	3	...	1	1	1	1	1	1	1	1	16	
4. Ascites	1	1	1	1	1	1	1	1	1	5	
5. Ulceration of Intestines	1	
6. Hernia	2	1	1	...	3	...	1	1	1	1	9		
7. Ileus	2	1	...	1	1	1	1	1	4		
8. Intussusception.....	1	1	1	...	1	1	1	1	1	3		
9. Stricture of Intestines		
10. Fistula	1	1	...	1	...	1	1	1	1	...		
11. Stomach Disease, &c.	2	1	1	...	1	1	1	1	2	1	1	9	
12. Pancreas Disease, &c.	
13. Hepatitis	3	1	2	1	2	1	1	1	1	1	11	
14. Jaundice	5	1	3	1	5	4	6	8	4	2	1	2	1	12	
15. Liver Disease, &c....	39	
16. Spleen Disease, &c....	
	64	10	1				1	4	1	9	5	8	10	10	16	9	16	6	5	8	5	188
ORDER 5.																								
1. Nephritis	1	2	1	1	1	1	1	1	1	1	9	
2. Ischuria	2				1	2	4	2	6	5	3	5	4	2	1	4	3	44		
3. Nephria	1				1	1	2	1	1	1	1	4		
4. Diabetes.....	1		
5. Stone	3		
6. Cystitis	1	1	...	1	1	2	1	1	1	3	1	1	11		
7. Kidney Disease, &c....	1	1	2	1	1	3	1	1	1		
	...	2	2				1	...	2	5	3	6	6	6	8	6	6	6	3	5	5	72
ORDER 6.																								
1. Ovarian Dropsy	1	1	1	1	1	1	1	1	1	4	
2. Uterus Disease, &c....	1	1	...	1	1	1	1	1	1	1	1	1	5	
	2	1	...	1	2	1	1	1	1	1	1	9	
ORDER 7.																								
1. Arthritis	2	1	3	
1a. Ostitis, Periostitis, &c.	1	3	
2. Joint Disease, &c....	...	1	1	2	1	...	1	1	1	1	1	1	6	
ORDER 8.																								
1. Phlegmon	1	2	1	4	
2. Ulcer	1				1	5	
3. Skin Disease, &c....	3	1	1	9	
	3	2	1	2	1	9	
Total, Class III	260	62	28	8	6	16	17	15	38	44	40	61	56	81	69	61	65	37	35	39	4	1,042		

E 3—continued.

F 1.

DEATHS from all causes, of MALES, at different ages, registered in SUBURBAN DISTRICTS, from 1st January to 31st December, 1882.

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox	1	3	
1a. Chicken-pox	1	
2. Measles	1	6	
3. Scarlatina	1	
3a. Diphtheria	2	1	1	1	13	
4. Quinsy	1	2	
5. Croup	2	4	2	...	4	13	
6. Whooping-cough	1	...	1	2	
7. Typhoid (and Infantile Fever)	1	...	1	5	1	5	7	3	1	2	2	1	2	2	33		
8. Erysipelas	1	2	3	
9. Metria	
10. Carbuncle	
11. Influenza	1	1	
12. Dysentery	3	1	1	1	1	1	1	...	1	...	1	...	1	1	1	1	...	9	
13. Diarrhoea	101	19	1	1	1	1	1	...	1	...	3	3	1	1	1	136	
14. Cholera	7	1	1	...	1	...	1	...	1	10		
15. Ague	1	
16. Remittent Fever	
17. Rheumatism	4	
18. Pyæmia	
	119	28	6	4	5	6	1	8	9	7	4	3	4	1	4	2	3	4	2	1	223	
ORDER 2.																						
1. Syphilis	4	1	1	5	
2. Stricture of the Urethra	1	1	
3. Hydrophobia	
4. Glanders	1	
	4	...	1	1	6	
ORDER 3.																						
1. Privation	
2. Want of Breast Milk...	18	18	
3. Purpura and Scurvy	1	
4. Alcoholism—	
a. Del. Tremens...	1	...	2	...	2	...	2	...	1	...	8		
b. Intemperance...	1	...	2	1	...	2	...	2	1	...	27		
ORDER 4.																						
1. Thrush	2	2	
2. Worms, &c.	
2a. Hydatid	2	
	2	
Total, Class I.....	143	28	7	4	5	6	1	8	9	9	4	5	5	1	6	2	5	4	2	3	1	258
CLASS II.—ORDER 1.																						
1. Gout	4	
2. Dropsy	1	1	2	15	
3. Cancer	14	
3a. Tumour	1	1	2	
3b. Polypus	
4. Noma	
5. Mortification	
	2	1	2	1	...	2	4	3	5	5	4	3	2	...	35	
ORDER 2.																						
1. Scrofula	1	1	1	1	1	1	6	
2. Tabes Mesenterica	20	11	...	1	1	...	1	...	11	10	14	13	14	9	7	9	2	2	1	1	...	31
3. Phthisis	6	...	1	1	...	1	1	1	103	
3a. Hæmoptysis	1	1	2	
4. Hydrocephalus	2	2	4	
4a. Abscess	
	29	14	2	2	1	1	...	12	10	14	14	14	9	7	10	2	2	1	1	1	146	
Total, Class II	31	15	4	2	1	1	...	12	11	14	14	15	11	13	7	7	5	4	3	...	181	

F 1—*continued.*

CAUSES OF DEATH.	Under 1 year.																					
	1 to 2 years.			2 to 3 years.			3 to 4 years.			4 to 5 years.			5 to 10 years.			10 to 15 years.			15 to 20 years.			
	20 to 25 years.			25 to 30 years.			30 to 35 years.			35 to 40 years.			40 to 45 years.			45 to 50 years.			50 to 55 years.			
	55 to 60 years.			60 to 65 years.			65 to 70 years.			70 to 75 years.			75 years and upwards.			Ages not specified.			Total.			
CLASS III—ORDER 1.																						
1. Cephalitis	17		3																26			
2. Apoplexy																			17			
3. Paralysis																			13			
4. Insanity																			2			
5. Chorea																						
6. Epilepsy																						
7. Convulsions	66	8	1	2	2	1	6	6	6	2	2								75			
8. Brain Disease, &c.	9	3	2																48			
	92	14	3	2	1	6	6	6	2	2									187			
ORDER 2.																						
1. Pericarditis																						
2. Aneurism																						
3. Heart Disease, &c.	4		1	1															45			
	4		1	1															55			
ORDER 3.																						
1. Laryngitis			1																1			
2. Bronchitis	39	7																	76			
3. Pleurisy																			9			
4. Pneumonia				4	1	1													72			
4a. Congestion of the Lungs, pulmonary....	11	9																	22			
5. Asthma	1																		4			
6. Lung Disease, &c.	10	1	3	1															25			
	71	19	4	1	4	2	4	5	7	5	6	7	9	13	7	14	16	2	10			
ORDER 4.																						
1. Gastritis.....																			3			
2. Enteritis.....	34	9	1	1															52			
3. Peritonitis																			5			
4. Ascites																			2			
5. Ulceration of Intestines	1		1																5			
6. Hernia																			3			
7. Ileus	1																		3			
8. Intussusception																						
9. Stricture of Intestines																						
10. Fistula																						
11. Stomach Disease, &c.	2																		3			
12. Pancreas Disease, &c.																						
13. Hepatitis																			5			
14. Jaundice	1																		4			
15. Liver Disease, &c.	2																		10			
16. Spleen Disease, &c.	1																		1			
	43	10	1	1	...	2	4	2	...	1	1	2	2	7	6	3	4	3	96			
ORDER 5.																						
1. Nephritis			1																6			
2. Ischuria																						
3. Nephria																			14			
4. Diabetes																			1			
5. Stone																						
6. Cystitis																			3			
7. Kidney Disease, &c.																			8			
			1																32			
ORDER 7.																						
1. Arthritis.....																			1			
1a. Ostitis, Periostitis, &c.																						
2. Joint Disease, &c.																			1			
ORDER 8.																						
1. Phlegmon																						
2. Ulcer	1																		4			
3. Skin Disease, &c.	3																		3			
	4																		7			
Total, Class III.....	214	43	10	5	5	10	17	12	7	11	16	17	25	38	26	34	40	25	12	19	1	587

F 1—*continued.*

CAUSES OF DEATH.	Under 1 year.												Over 1 year.											
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.			
CLASS IV.—ORDER 1.																								
1. Premature Birth.....	32	2	32
2. Cyanosis	2	2
3. Spina Bifida.....
4. Other Malformations..	3	3
5. Teething	18	15	33
	55	15	70
ORDER 3.																								
1 Old Age	57
ORDER 4.																								
1. Atrophy and Debility	108	10	118
Total, Class IV	163	25	245
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																								
1. Fractures & Contusions	2	1	...	1	1	1	7	1	3	3	2	...	1	1	1	...	1	25
2. Wounds { a. Gunshot	1	1	1
b. Cuts	1	1	1
3. Burns and Scalds	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7
3a. Sunstroke.....	2
4. Poison	2
4a. Bite of Snake or Insect
5. Drowning	3	2	1	1	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20
6. Suffocation	2	2
7. Otherwise
	3	4	5	2	1	6	4	3	2	3	8	2	3	5	2	2	2	2	1	1	1	1	1	60
ORDER 2.—VIOLENT DEATHS IN BATTLE.																								
1. Gunshot Wounds.....
2. Sword and Bayonet Wounds
3. Otherwise
ORDER 3.—HOMICIDE.																								
1. Murder
2. Manslaughter
ORDER 4.—SUICIDE.																								
1. Wounds { Gunshot	1	1
Cut, Stab, &c
2. Poison	1
3. Drowning	1	1	...	1	2
4. Hanging
5. Otherwise	1	...	1	...	1	...	1	3
ORDER 5.—EXECUTION.																								
1. Hanging
Violent Deaths, not classed (Open Verdicts—Found drowned, &c.).....
Total, Class V	3	4	5	2	1	6	4	3	2	4	8	3	3	5	3	2	2	1	1	1	1	1	1	63
Causes not specified or ill-defined	1	1	...	1	4
GRAND TOTALS	554	115	26	13	12	23	23	35	29	38	42	40	45	55	49	45	65	41	27	57	4	1,338		

F 2.

DEATHS from all causes, of FEMALES, at different ages, registered in SUBURBAN DISTRICTS, from 1st January to 31st December, 1882.

CAUSES OF DEATH	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
	1	2	2	2	3	3	2	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CLASS I.—ORDER 1.																							
1. Small-pox	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
1a. Chicken-pox.....																							
2. Measles		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Scarlatina			2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3a. Diphtheria				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Quinsy					1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Croup						2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Whooping-cough		1	2	2	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Typhoid (and Infantile Fever)		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Erysipelas		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Metria																							7
10. Carbuncle																							
11. Influenza																							
12. Dysentery		6	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12
13. Diarrhoea	80	23	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	121
14. Cholera		6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10
15. Ague																							
16. Remittent Fever		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17. Rheumatism																							2
18. Pyæmia																							1
	98	36	8	6	1	7	8	8	8	13	5	4	2	3	1	4	1	4	1	3	...	221	
ORDER 2.																							
1. Syphilis		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2. Stricture of the Urethra																							1
3. Hydrophobia																							
4. Glanders																							3
ORDER 3.																							
1. Privation																							
2. Want of Breast Milk..	16	16
3. Purpura and Scurvy..																							
4. Alcoholism :—																							
a. Del. Tremens.....																							
b. Intemperance																							2
	16	18
ORDER 4.																							
1. Thrush		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2. Worms, &c																							1
2a. Hydatid																							3
	2	1	1	1	1	1	1	1	1	1	1	1	1	3
Total, Class I.....	118	36	8	6	1	7	8	8	8	13	6	4	4	3	1	4	2	4	1	3	...	245	
CLASS II.—ORDER 1.																							
1. Gout																							2
2. Dropsy																							14
3. Cancer																							21
3a. Tumour																							3
3b. Polypus																							
4. Noma																							
5. Mortification		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
	1	1	1	1	1	1	1	3	4	2	4	7	1	5	7	4	3	2	...	45
ORDER 2.																							
1. Scrofula	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
2. Tabes Mesenterica.....	18	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	28
3. Phthisis	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	108
3a. Haemoptysis																							1
4. Hydrocephalus		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4a. Abscess																							2
	26	12	1	2	3	11	17	11	17	13	4	10	7	5	3	1	2	144	
Total, Class II.....	27	12	1	2	4	11	20	11	21	15	8	17	8	10	10	5	5	2	...	189	

F 2—*continued.*

CAUSES OF DEATH.		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS III.—ORDER 1.																							
1. Cephalitis	11	6	3	1																			26
2. Apoplexy																							20
3. Paralysis																							12
4. Insanity																							2
5. Chorea																							6
6. Epilepsy.....																							62
7. Convulsions	44	17	1																				20
8. Brain Disease, &c....	6	1																					148
	61	24	4	1	1	2	1	1															
ORDER 2.																							
1. Pericarditis																							
2. Aneurism																							
3. Heart Disease, &c....	3																						51
	3																						51
ORDER 3.																							
1. Laryngitis	2	1																					4
2. Bronchitis	31	11	4																				75
3. Pleurisy	2																						4
4. Pneumonia	10	8	2	2																			42
4a. Congestion of the Lungs, pulmonary...																							18
5. Asthma	6		1																				
6. Lung Disease, &c....	1																						5
	52	20	7	2	3	5	2	3	1	7	3	2	3	3	2	2	5	2	1	7	10	7	148
ORDER 4.																							
1. Gastritis.....																							1
2. Enteritis.....	24	9		1		2																	52
3. Peritonitis	2																						7
4. Ascites																							2
5. Ulceration of Intestines																							
6. Hernia	1																						4
7. Ileus																							1
8. Intussusception																							1
9. Stricture of Intestines																							
10. Fistula																							
11. Stomach Disease, &c...																							
12. Pancreas Disease, &c.																							
13. Hepatitis	1																						11
14. Jaundice.....	1																						2
15. Liver Disease, &c....																							8
16. Spleen Disease, &c....																							
	29	9		1		3		1	4	4	2	5	6	8	5		5	3	2	2			89
ORDER 5.																							
1. Nephritis																							2
2. Ischuria																							
3. Nephria	2																						10
4. Diabetes																							2
5. Stone																							
6. Cystitis																							1
7. Kidney Disease, &c....																							3
	2																						18
ORDER 6.																							
1. Ovarian Drospsy																							
2. Uterus Disease, &c....																							1
ORDER 7.																							
1. Arthritis																							
1a. Ostitis, Periostitis, &c.																							1
2. Joint Disease, &c....																							
ORDER 8.																							
1. Phlegmon	5																						1
2. Ulcer																							5
3. Skin Disease, &c....																							6
Total, Class III.....	150	55	11	4	5	11	6	7	14	17	13	15	14	16	17	12	26	24	25	20			462

F 2—*continued.*

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						31
1. Premature Birth	31	3																				3
2. Cyanosis	5	7																			5
3. Spina Bifida	3																					30
4. Other Malformations..	5																					30
5. Teething.....	23	7																				69
ORDER 2.																						
1. Paramenia																					1
2. Childbirth (<i>see</i> Metria)	...																					13
ORDER 3.																						
1. Old Age																					14
ORDER 4.																						
1. Atrophy and Debility..	114	10	...																			124
Total, Class IV	176	17	...																			247
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions			1																		3
2. Wounds { a. Gunshot.	...			2																		5
b. Cuts.....	...																					1
3. Burns and Scalds				1																	3
3a. Sunstroke					1																3
4. Poison						1															3
4a. Bite of Snake or Insect	...																					3
5. Drowning	3																					15
6. Suffocation....																						
7. Otherwise																						
ORDER 2.—																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds																					
2. Sword and Bayonet Wounds																					
3. Otherwise																					
ORDER 3.—HOMICIDE.																						
1. Murder																					
2. Manslaughter.....	...																					
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot																					
Cut, Stab, &c																					
2. Poison																					
3. Drowning																					
4. Hanging																					
5. Otherwise																					
ORDER 5.—EXECUTION.																						
1. Hanging.....	...																					
Violent Deaths (not classed)																					
Total, Class V.....	3	2	1	1	1	...	1	1	1	1	1	1	1	1	1	1	1	16	
Sudden deaths (cause unascertained)																					
Causes not specified or ill-defined																					
GRAND TOTAL	474	122	20	11	8	20	19	29	46	44	41	38	27	38	27	27	43	37	37	51	1,159	

F 3.

DEATHS from all causes of BOTH SEXES, at different ages, registered in SUBURBAN DISTRICTS, from 1st January to 31st December, 1882.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I.—ORDER 1.																							
1. Small-pox	3	...	1	1	1	2	8
1a. Chicken-pox	1	...	1	1	1	2	2
2. Measles	1	...	1	1	1	2	2
3. Scarlatina	1	...	1	1	1	2	2
3a. Diphtheria	2	3	1	2	1	3	1	1	2	13
4. Quinsy	2	1	1	2	2
5. Croup	2	4	4	3	4	2	1	1	21
6. Whooping-cough	2	2	1	5
7. Typhoid (and Infantile Fever)	1	2	1	1	...	6	8	10	13	12	2	3	3	2	3	3	1	71
8. Erysipelas	2	2	1	5
9. Metria	3	2	1	...	1	7
10. Carbuncle
11. Influenza	1	1
12. Dysentery	9	4	1	1	1	1	1	2	1	1	21
13. Diarrhoea	181	42	5	2	1	1	...	2	1	...	2	1	1	...	1	1	3	6	2	4	1	...	257
14. Cholera	13	3	1	...	1	1	2	20
15. Ague	1	1
16. Remittent Fever	1	1	...	2	...	1	...	1	1	1
17. Rheumatism	1	6
18. Pyæmia	1
	217	64	14	10	6	13	9	16	17	20	9	7	6	4	5	6	4	8	3	5	1	...	444
ORDER 2.																							
1. Syphilis	6	...	1	1	1	7
2. Stricture of the Urethra	2
3. Hydrocephalus
4. Glanders	1	9
	6	...	1	1	1
ORDER 3.																							
1. Privation
2. Want of Breast-milk	34	34
3. Purpura and Scurvy	1	1
4. Alcoholism—	1
a. Del. Tremens	1	...	2	2	...	2	...	2	...	1	10
b. Intemperance	1	...	2	3	...	2	...	2	...	1	
	34	1	...	2	3	...	2	...	2	...	1	45
ORDER 4.																							
1. Thrush	4	4
2. Worms, &c.
2a. Hydatid	1	1
	4	1	5
Total, Class I	261	64	15	10	6	13	9	16	17	22	10	9	9	4	7	6	7	8	3	6	1	...	503
CLASS II.—ORDER 1.																							
1. Gout	2	...	1	...	1	...	2	1	...	2	...	1	...	1	...	6
2. Dropsy	1	1	2	...	1	...	1	...	2	1	4	3	2	4	2	3	2	...
3. Cancer	3	2	5	5	1	5	7	4	2	1	35	
3a. Tumour	1	1	1	...	1	1	5
3b. Polypus
4. Noma	1	...	1
5. Mortification	1	1	...	1	1	5
	3	1	2	...	1	...	1	...	4	...	4	3	6	11	4	10	12	8	6	4	80
ORDER 2.																							
1. Serofula	2	2	1	1	1	...	1	1	1	10
2. Tabes Mesenterica	38	21	3	2	22	26	25	30	27	13	16	16	6	5	2	2	1	59
3. Phthisis	12	1	1	1	1	...	1	1	1	1	1	1	1	1	1	1	...	211
3a. Haemoptysis	3
4. Hydrocephalus	3	2	5
4a. Abscess	1	...	1	...	1	2
	55	26	2	2	1	3	3	23	27	25	31	27	13	17	17	7	5	2	3	1	290
Total, Class II	58	27	4	2	2	3	4	23	31	25	35	30	19	28	21	17	17	10	9	5	370

E-3—continued.

CAUSES OF DEATH.										
	Under 1 year.									
	1 to 2 years.									
	2 to 3 years.									
	3 to 4 years.									
	4 to 5 years.									
	5 to 10 years.									
	10 to 15 years.									
	15 to 20 years.									
	20 to 25 years.									
	25 to 30 years.									
	30 to 35 years.									
	35 to 40 years.									
	40 to 45 years.									
	45 to 50 years.									
	50 to 55 years.									
	55 to 60 years.									
	60 to 65 years.									
	65 to 70 years.									
	70 to 75 years.									
	75 years and upwards.									
	Ages not specified.									
	Total.									
CLASS III.—ORDER 1.										
1. Cephalitis	28	9	3	1	...	2	4	...	2	52
2. Apoplexy	1	1	...	6	37
3. Paralysis	1	1	...	3	2
4. Insanity	1	1	...	1	1
5. Chorea	1	1	...	1	...
6. Epilepsy	1	1	...	1	12
7. Convulsions	110	25	2	2	1	...	5	137
8. Brain disease, &c.	15	4	2	2	5	2	1	...	3	68
	153	38	7	3	2	8	7	3	4	335
	ORDER 2.									
1. Pericarditis
2. Aneurism	4
3. Heart Disease, &c.	7	...	1	1	...	4	2	3	5	102
	7	...	1	1	...	4	2	3	5	106
	ORDER 3.									
1. Laryngitis	2	1	1	1	1	...	1	5
2. Bronchitis	70	18	4	...	1	2	1	...	2	151
3. Pleurisy	2	1	1	1	...	1	13
4. Pneumonia	21	17	2	6	4	2	5	4	8	114
4a. Congestion of the Lungs, pulmonary	16	2	1	...	1	...	2	3	1	40
5. Asthma	1	2	2	1	2	1	1	30
6. Lung Disease, &c.	11	1	3	1	...	2	1	...	2	...
	123	39	11	3	7	7	6	8	12	9
										357
	ORDER 4.									
1. Gastritis	1	1	2	2	4
2. Enteritis	58	18	1	2	...	3	1	4	3	104
3. Peritonitis	2	2	1	1	2	12
4. Ascites	1	1	1	1	4
5. Ulceration of Intestines	1	1	1	1	1	1	1	5
6. Hernia	1	1	1	1	1	1	1	7
7. Ileus	1	1	1	1	1	1	2	4
8. Intussusception	1
9. Stricture of Intestines
10. Fistula	3
11. Stomach Disease	2
12. Pancreas Disease, &c.
13. Hepatitis	2	1	1	1	2	16
14. Jaundice	2	1	1	2	1	6
15. Liver Disease, &c.	1	1	1	2	1	18
16. Spleen Disease, &c.	1	1	1	2	1	1
	72	19	1	2	...	5	4	3	7	185
	ORDER 5.									
1. Nephritis	1	1	2	2	8
2. Iscuria	2	1	...	2	3	1	24
3. Nephria	2	1	...	1	1	1	3
4. Diabetes	4
5. Stone	11
6. Cystitis
7. Kidney Disease, &c.	2	1	...	1	2	2	3	3	50
	...	2	1	...	1	2	2	3	3	50
	ORDER 6.									
1. Ovarian Dropsy	1	1
2. Uterus Disease, &c.	1
	1
	ORDER 7.									
1. Arthritis	1
1a. Ostitis, Periostitis, &c.	1
2. Joint Disease, &c.	1
	1
	ORDER 8.									
1. Phlegmon	1	1	1	...
2. Ulcer	8	1	1	5
3. Skin Disease, &c.	9	1	1	8
Total, Class III.....	364	98	21	9	10	21	23	19	21	1,049

F. 3—*continued.*

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS IV.—ORDER 1.																							
1. Premature Birth	63	63
2. Cyanosis.....	2	2
3. Spina Bifida	3	3
4. Other Malformations..	8	8
5. Teething.....	41	22	63
	117	22	139
ORDER 2.																							
1. Paramenia	1
2. Childbirth (<i>see</i> Metria)	13
	14
ORDER 3.																							
1. Old Age	97
	
ORDER 4.																							
1. Atrophy and Debility	222	20	242
Total, Class IV	339	42	2	4	3	1	3	...	1	16	9	14	58	...	492
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																							
1. Fractures & Contusions	1	2	1	...	1	1	7	1	3	4	3	...	1	1	1	1	1	1	28
2. Wounds { a. Gunshot	1	2	...	1	1	1	1
b. Cuts.....	1
3. Burns and Scalds	1	3	3	2	1	2	...	1	1	1	1	1	1	1	1	1	1	1	1	1	12
3a. Sunstroke.....	1	2
4. Poison	1	1	1	1	1	1	1	1	1	1	3
4a. Bite of Snake or Insect	1	1	1	1	1	1	1	1	1	1	23
5. Drowning	5	3	2	1	1	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
6. Suffocation	
7. Otherwise	
	6	6	6	3	2	6	5	4	2	3	8	3	4	6	3	2	2	2	2	1	1	1	75
ORDER 2.—																							
VIOLENT DEATHS IN BATTLE.																							
1. Gunshot Wounds	
2. Sword and Bayonet Wounds	
3. Otherwise	
	
ORDER 3.—HOMICIDE.																							
1. Murder	
2. Manslaughter	
	
ORDER 4.—SUICIDE.																							
1. Wounds { Gunshot	1	1
Cut, Stab, &c	
2. Poison	1	3
3. Drowning	1	1	1	1	1	1	1	1	
4. Hanging	1	1	1	1	1	1	1	1	
5. Otherwise	
	1	...	1	1	1	1	1	1	1	1	4
ORDER 5.—EXECUTION.																							
1. Hanging	
Violent Deaths not classed	
Total, Class V	6	6	6	3	2	6	5	4	2	4	8	4	4	6	4	3	2	2	1	1	1	1	79
Causes not specified or ill-defined	1	1	...	1	1	1	1	1	1	4
GRAND TOTAL.....	1028	237	46	24	20	43	42	64	75	82	83	78	72	93	76	72	108	78	64	108	4	2497	

G 1

DEATHS from all causes of MALES, at different ages, registered in the COUNTRY DISTRICTS, from 1st January to
31st December, 1882.

CAUSES OF DEATH.	Under 1 year.																					
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I.—ORDER I.																						
1. Small-pox	1	1	2	4	3	2	2	2	3	2	2	1	1	2	1	1	2	1	1	2		
1a. Chicken-pox	5	8	15	9	8	26	2	2	1	1	2	1	1	2	1	1	2	1	1	2		
2. Measles	10	12	15	13	8	9	2	2	1	1	2	1	1	2	1	1	2	1	1	2		
3. Scarlatina	22	10	1	1	1	3	3	2	2	1	1	3	3	2	2	1	1	1	1	1		
3a. Diphtheria																						
4. Quinsy																						
5. Croup																						
6. Whooping-cough																						
7. Typhoid (and Infantile Fever)																						
8. Erysipelas																						
9. Metria																						
10. Carbuncle																						
11. Influenza																						
12. Dysentery																						
13. Diarrhoea																						
14. Cholera																						
15. Ague																						
16. Remittent Fever																						
17. Rheumatism																						
18. Pyæmia																						
	213	97	49	31	27	54	14	24	31	26	18	22	11	23	21	16	17	20	15	13	7	749
ORDER 2.																						
1. Syphilis	1	3	
2. Stricture of the Urethra																				11	
3. Hydrocephalus																					
4. Glanders																					
	1	1	14	
ORDER 3.																						
1. Privation																						
2. Want of Breast Milk	18	18	
3. Purpura and Scurvy																				2	
4. Alcoholism—																						
a. Del. Tremens....	...																				2	
b. Intemperance																				28	
	18	1	1	5	5	6	7	9	11	6	14	4	103
ORDER 4.																						
1. Thrush	15	1	16	
2. Worms, &c.	18	18	
2a. Hydatid					1	6	
	15	1	1	2	1	...	22
Total, Class I.....	247	98	49	31	28	55	14	24	32	31	23	28	19	35	32	22	34	31	21	14	20	888
CLASS II.—ORDER I.																						
1. Gout																						
2. Dropsy	2	...	1	1	3	3	2	1	2	1	1	2	1	8	5	14	7	15	4	2
3. Cancer					1	1	1	1	1	1	1	1	2	3	12	7	9	12	6	13	1
3a. Tumour.....	...					1	1	1	1	1	1	1	1	2	3	1	2	1	1	1	12	
3b. Polypus.....	...					1	1	1	1	1	1	1	1	2	3	1	4	1	1	1	1	
4. Noma	1	1	...	1	1	1	1	1	1	2	1	1	1	1	1	2	12	
5. Mortification	3	...	1	...	1	2	4	4	6	3	3	2	9	11	22	12	26	21	21	5	177	
ORDER 2.																						
1. Scrofula						1	...	1	1	...	1	...	1	...	1	...	1	...	1	...	4	
2. Tabes Mesenterica	24	8	1	1	1	2	5	14	36	33	35	27	36	28	27	13	3	7	6	...	34	
3. Phthisis	3	2	1	1	1	2	5	14	36	33	35	27	36	28	27	13	3	7	6	...	280	
3a. Hæmoptysis					1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...	
4. Hydrocephalus	9	8	1	17	
4a. Abscess					1	1	3	
	36	18	2	3	1	3	5	15	37	33	36	27	36	29	27	13	3	8	6	...	338	
Total, Class II	39	18	3	3	2	5	9	19	43	36	39	29	45	40	49	25	29	29	27	21	5	515

G 1—*continued.*

CAUSES OF DEATH.	Under 1 year.												Total.											
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.				
CLASS III.—ORDER 1.																								
1. Cephalitis	17	5	5	1	...	1	5	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	41
2. Apoplexy	1	1	1	1	1	1	2	8	4	7	9	8	8	13	8	6	9	72
3. Paralysis	1	1	1	1	1	2	3	...	1	7	10	13	7	13	12	...	93
4. Insanity	2	3	2	3	...	1	7	1	1	1	1	1	1	15
5. Chorea	1	1	1	1	1	1	1	1	1
6. Epilepsy	1	1	1	1	1	1	1	1	34
7. Convulsions	229	35	1	1	1	1	7	3	6	4	4	4	3	7	11	7	7	4	5	3	6	2	2	266
8. Brain Disease, &c.	8	1	4	1	1	7	3	6	4	4	4	3	7	11	7	7	4	5	3	6	2	2	2	96
	254	42	10	4	1	12	11	10	9	8	17	20	23	28	36	25	33	21	27	24	3	3	3	618
ORDER 2.																								
1. Pericarditis	1	2	...	1	1	1	1	1	1	1	1	1	1	1	8
2. Aneurism	5	4	4	2	2	2	2	3	3	1	3	1	1	1	1	1	17
3. Heart Disease, &c.	1	5	4	4	2	8	6	12	18	13	22	17	27	28	20	12	5	204
	...	1	6	4	4	4	10	9	13	20	16	26	18	31	29	20	13	5	229
ORDER 3.																								
1. Laryngitis	1	..	1	2	1	5
2. Bronchitis	98	24	13	3	2	7	4	...	2	2	6	1	8	14	16	7	9	19	1	1	236
3. Pleurisy	2	1	...	2	1	...	1	2	...	4	3	2	5	1	3	1	3	1	3	1	27	
4. Pneumonia	43	20	11	2	...	10	6	6	25	12	17	17	28	24	13	17	17	16	12	8	4	4	308	
4a. Congestion of the Lungs—Pulmonary.	13	1	...	1	...	4	1	2	2	1	2	2	2	4	4	4	6	2	1	2	1	1	53	
5. Asthma	1	1	1	...	1	1	3	3	2	3	1	1	1	1	2	4	1	23	
6. Lung Disease, &c.	5	3	1	1	1	2	...	2	1	4	4	3	27	
	163	48	25	7	3	22	15	7	31	19	21	24	44	36	36	43	46	26	24	33	6	6	6	679
ORDER 4.																								
1. Gastritis	3	2	4	3	7	5	7	1	4	4	1	2	1	1	3	13	
2. Enteritis	51	10	3	3	...	4	3	7	5	7	1	4	4	2	6	4	4	3	3	1	1	1	125	
3. Peritonitis	2	3	2	1	...	1	1	...	1	1	1	1	1	1	1	12	
4. Ascites	1	1	1	1	1	1	1	1	4	
5. Ulceration of Intestines	1	1	...	1	...	1	1	1	1	1	1	1	1	1	1	5	
6. Hernia	1	...	2	...	2	2	4	...	2	1	1	1	1	7	
7. Ileus	6	1	...	2	...	2	2	4	...	2	1	20	
8. Intussusception	
9. Stricture of Intestines	
10. Fistula	
11. Stomach Disease, &c.	3	1	1	...	1	1	5	...	2	...	2	14	
12. Pancreas Disease, &c.	1	...	2	3	...	2	...	1	...	1	2	4	
13. Hepatitis	1	1	1	...	2	...	1	...	1	2	4	2	18	
14. Jaundice	7	1	1	1	...	1	1	1	1	4	5	7	13	6	8	3	2	...	1	10	
15. Liver Disease, &c.	1	1	...	1	1	1	1	4	5	7	13	6	8	3	2	...	2	55	
16. Spleen Disease, &c.	1	
	73	13	3	3	...	7	4	12	14	13	4	15	14	20	27	11	20	14	8	3	6	6	284	
ORDER 5.																								
1. Nephritis	1	2	1	1	1	...	1	2	2	1	1	1	1	1	11	
2. Ischuria	1	1	1	1	1	1	1	1	1	1	4	
3. Nephria	1	1	1	2	2	3	2	5	2	3	3	1	3	1	3	1	26	
4. Diabetes	3	1	...	1	1	1	1	1	1	6	
5. Stone	1	...	1	...	1	3	
6. Cystitis	1	1	1	1	...	1	1	1	1	1	4	1	4	1	4	1	13	
7. Kidney Disease, &c.	1	1	...	1	1	1	1	6	5	2	...	2	...	2	18	
	4	4	2	...	1	2	3	5	6	5	4	8	10	14	3	10	81	
ORDER 7.																								
1. Arthritis	1	1	1
1a. Ostitis Periostitis, &c.	1	1	1
2. Joint Disease, &c.	1	1	1	...	1	3
ORDER 8.																								
1. Phlegmon	1	...	1	...	1	...	1	...	1	...	1	...	4
2. Ulcer	1	...	1	...	1	...	1	...	1	...	1	...	7
3. Skin Disease, &c.	4	1	...	1	...	1	...	1	...	3	11	
Total, Class III	498	109	38	14	4	47	36	34	59	52	54	79	107	106	130	105	141	104	85	83	20	1	1,905	

G 1—continued.

CAUSES OF DEATH.	G 1																				
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.
CLASS IV.—ORDER 1.																					
1. Premature Birth	101	101	
2. Cyanosis	2	2	
3. Spina Bifida	3	3	
4. Other Malformations..	41	115	
5. Teething.....	180	41	221	
ORDER 2.																					
1. Paroxysma	
2. Childbirth (see Metria)	
ORDER 3.																					
1. Old Age.....	
ORDER 4.																					
1. Atrophy and Debility	187	17	1	205	
Total, Class IV	367	58	1	67	41	115	313	2
																				964	
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																					
1. Fractures & Contusions	1	2	1	11	15	22	17	21	20	24	23	18	15	10	18	8	2	3	5	236	
2. Wounds {	a. Gunshot	4	...	1	3	5	6	1	2	1	1	1	1	1	1	21	
b. Cuts.....	2	7	3	2	...	2	1	1	2	1	1	1	1	1	1	2	1	1	1	12	
3. Burns and Scalds	3	2	2	1	1	3	1	2	2	2	1	1	1	1	1	4	1	1	1	29	
3a. Sunstroke.....	2	2	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	27	
4. Poison	26	
4a. Bite of Snake or Insect	143	
5. Drowning	10	1	3	19	11	11	15	13	11	7	2	9	5	2	1	4	16	2	16	2	
6. Suffocation	
7. Otherwise	17	6	25	9	7	34	28	44	39	40	40	47	37	24	30	16	30	16	6	7	
																				512	
ORDER 2.—																					
VIOLENT DEATHS IN BATTLE																					
1. Gunshot Wounds	
2. Sword and Bayonet	
3. Otherwise	
ORDER 3.—HOMICIDE.																					
1. Murder	1	
2. Manslaughter	5	
																				7	
ORDER 4.—SUICIDE.																					
1. Wounds { Cut, Stab, &c	5	
b. Gunshot	7	
3. Drowning	6	
4. Hanging	3	
5. Otherwise	4	
ORDER 5.—EXECUTION.																					
1. Hanging	1	1	1	1	1	1	1	1	1	1	1	1	3	
Violent Deaths (not classed)	3	
Total, Class V	17	6	25	9	7	34	28	44	41	44	43	50	43	26	34	20	36	19	7	14	
Causes not specified or ill-defined	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21	
GRAND TOTALS	1168	289	116	57	41	142	88	121	175	163	159	186	214	209	247	173	308	225	255	438	73
																				4,847	

G 2.

DEATHS from all causes, of FEMALES, at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1882.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I.—ORDER 1.																						155
1. Small-pox	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	119
1a. Chicken-pox	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7
2. Measles	1	3	2	3	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	18
3. Scarletina	3	6	14	13	10	23	5	12	1	1	1	1	1	1	1	1	1	1	1	1	1	5
3a. Diphtheria	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	77
4. Quinsy	14	13	9	12	2	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	63
5. Croup	32	9	6	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
6. Whooping-cough	8	5	5	3	3	12	13	16	18	10	11	4	6	4	1	1	1	1	1	1	1	119
7. Typhoid (and Infantile Fever)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Erysipelas	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Metria	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Carbuncle	12	2	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25
11. Influenza	16	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	37
12. Dysentery	116	32	5	5	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	188
13. Diarrhoea	12	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25
14. Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
15. Ague	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
16. Remittent Fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
17. Rheumatism	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
18. Pyæmia	215	78	54	46	20	64	24	18	31	20	19	8	15	9	11	6	9	4	4	4	1	660
ORDER 2.																						3
1. Syphilis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
2. Stricture of the Urethra	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Hydrophobia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Glanders	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
ORDER 3.																						1
1. Privation	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25
2. Want of Breast Milk	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
3. Purpura and Scurvy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Alcoholism :—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
a. Del. Tremens	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10
b. Intemperance	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	37
ORDER 4.																						1
1. Thrush	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	13
2. Worms, &c.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2a. Hydatid	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
Total, Class I.....	252	80	54	46	21	66	24	19	32	21	22	9	16	13	12	7	10	4	5	4	2	719
CLASS II.—ORDER 1.																						1
1. Gout	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Dropsy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	40
3. Cancer	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
3a. Tumour	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12
3b. Polypus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10
4. Noma	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Mortification	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	113
ORDER 2.																						1
1. Scrofula	23	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	28
2. Tabes Mesenterica	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	145
3. Phthisis	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6
3a. Haemoptysis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
4. Hydrocephalus	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	182
4a. Abscess	29	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	295
Total, Class II.....	31	10	2	2	3	1	10	18	26	27	30	16	12	26	18	14	14	11	14	9	1	295

G 2—*continued.*

CAUSES OF DEATH.		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.																							
1. Cephalitis	11	4	1	1	1	1	3	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	28
2. Apoplexy	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	33
3. Paralysis	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	29
4. Insanity	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	10
5. Chorea	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Epilepsy.....	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	26
7. Convulsions	173	47	8	1	1	1	5	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	228
8. Brain Disease, &c.....	7	...	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	41
	192	51	11	3	2	12	7	11	7	8	8	8	15	10	7	17	9	7	11	5	3	...	396
ORDER 2.																							
1. Pericarditis	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	4
2. Aneurism	2	3	4	4	12	8	7	10	11	9	11	14	8	14	4	9	...	130
3. Heart Disease, &c.....	2	4	4	5	14	9	7	10	11	9	12	14	8	14	4	9	...	136	
ORDER 3.																							
1. Laryngitis	1	1	...	1	1	2	...	3	3	1	2	5	1	1	1	1	1	1	1	1	1	1	6
2. Bronchitis	63	19	6	7	1	7	3	2	6	6	7	12	11	10	9	10	5	3	2	8	10	10	161
3. Pleurisy	1	2	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12
4. Pneumonia	35	10	10	7	1	6	6	6	7	12	11	10	9	10	11	9	11	14	8	14	4	3	165
4a. Congestion of the Lungs, pulmonary...	19	3	1	2	1	1	2	1	1	1	1	1	1	1	1	35
5. Asthma	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	5
6. Lung Disease, &c.....	10
	120	35	18	15	4	16	11	10	11	16	16	19	11	16	10	9	10	15	16	13	3	394	
ORDER 4.																							
1. Gastritis.....	3	3	1	...	2	4	5	2	1	2	3	1	1	1	1	1	1	1	1	13
2. Enteritis.....	36	13	3	1	3	7	3	3	3	3	2	1	1	1	1	1	1	1	93
3. Peritonitis	1	1	...	1	3	7	3	3	3	1	1	1	1	1	1	1	1	24
4. Ascites	1	1	1	1	1	1	1	1	1	1	1	4
5. Ulceration of Intestines	1	1	1	1	1	1	1	1	1	1	1	1	2
6. Hernia	2	1	1	1	1	1	1	1	1	1	1	1	1	3
7. Ileus	1	1	1	1	1	1	1	1	1	1	1	5
8. Intussusception	1	1	1	1	1	1	1	1	1	1	1	1	2
9. Stricture of Intestines	1	1	1	1	1	1	1	1	1	1	1	3
10. Fistula	1	1	1	1	1	1	1	1	1	1	1	13
11. Stomach Disease, &c....	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10
12. Pancreas Disease, &c....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3
13. Hepatitis	2	1	1	1	1	1	1	1	1	1	1	1	1	10
14. Jaundice	1	1	1	1	1	1	1	1	1	1	1	1	3
15. Liver Disease, &c....	1	1	2	1	5	3	3	7	3	2	2	2	2	2	33
16. Spleen Disease, &c....
	47	17	4	...	1	4	5	8	7	20	12	15	8	12	10	9	6	12	4	4	4	4	205
ORDER 5.																							
1. Nephritis	1	1	1	...	1	1	1	1	1	1	1	1	4
2. Ischuria	1	1	1	1	2	...	1	5	1	1	1	1	1	1	1	1	16
3. Nephria	1	2	1	1	1	1	1	1	1	1	1	1	7
4. Diabetes
5. Stone
6. Cystitis	1	1	3	1	2	1	1	1	1	1	9
7. Kidney Disease, &c....	1	1	1	2	3	1	3	8	2	3	3	2	1	1	1	1	36
	1	1	...	1	1	...	2	1	1	2	3	1	3	8	2	3	3	2	1	1	1	1	36
ORDER 6.																							
1. Ovarian Dropsy	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	8
2. Uterus Disease, &c....	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	8

ORDER 7.																							
1. Arthritis	1	1	1	3
1a. Ostitis, Periostitis, &c....	1	1	1	1	1	1	1	1	1	1	1	1
2. Joint Disease, &c....	1	1	1	1	1	1	1	1	1	1	1	4
	1	1	1	1	1	1	1	1	1	1	1	7
ORDER 8.																							
1. Phlegmon	1
2. Ulcer	1	1	1	4
3. Skin Disease, &c....	2	1	1	3
	3	1	1	7
Total, Class III.....	363	104	35	19	9	37	30	36	41	57	48	61	44	53	51	46	34	54	30	30	4	1,186	

G 2—continued.

CAUSES OF DEATH.																								
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.		
CLASS IV.—ORDER 1.																								
1. Premature Birth	71	71			
2. Cyanosis	4	4			
3. Spina Bifida			
4. Other Malformations..	5	5			
5. Teething.....	67	35	102			
	147	35	182			
ORDER 2.																								
1. Paramenia	1			
2. Childbirth (see Metria)	70			
	71			
ORDER 3.																								
1. Old Age	185			
ORDER 4.																								
1. Atrophy and Debility..	163	19	182			
Total, Class IV	310	54	11	18	11	18	9	3	24	21	39	99	2	185
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																								
1. Fractures & Contusions	1	1	3	1	...	3	1	...	1	...	1	...	1	1	1	2	2	19		
2. Wounds { a. Gunshot.	1	1		
b. Cuts.....		
3. Burns and Scalds	2	6	1	4	3	5	4	1	2	2	1	1	2	1	1	2	1	1	2	1	1	43		
3a. Sunstroke.....	...	1	...	1	...	1	2	1	1	1	1	1	1	1	1	4		
4. Poison	2	...	1	2	1	1	1	1	1	1	1	1	8		
4a. Bite of Snake or Insect		
5. Drowning	1	7	2	1	...	1	6	3	2	1	1	1	3	1	1	1	2	1	33			
6. Suffocation.....	2	...	1	1	3			
7. Otherwise	1			
	8	15	6	9	3	9	12	4	6	5	3	2	4	3	5	4	4	2	4	1	3	112		
ORDER 2.—																								
VIOLENT DEATHS IN BATTLE.																								
1. Gunshot Wounds		
2. Sword and Bayonet Wounds		
3. Otherwise		
ORDER 3.—HOMICIDE.																								
1. Murder	1	1		
2. Manslaughter.....	1	1		
ORDER 4.—SUICIDE.																								
1. Wounds { Gunshot	1		
Cut, Stab, &c	1		
2. Poison	1	1	1	1	1	1	1	3		
3. Drowning	1	1	1	1	1	1	4		
4. Hanging	1	1	1	1	1	1	1		
5. Otherwise	2	1	2	2	1	1	1	8		
ORDER 5.—EXECUTION.																								
1. Hanging		
Violent Deaths (not classed)		
Total, Class V.....	8	15	6	9	3	9	12	7	6	5	3	2	5	5	7	4	4	3	4	1	3	121		
Sudden deaths (cause unascertained)		
Causes not specified or ill-defined	1	1	4	6		
GRAND TOTAL	964	263	97	76	36	113	77	81	116	128	114	106	86	100	88	71	86	93	92	143	17	2,947		

G 3.

DEATHS from all causes, of BOTH SEXES, at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1882.

CAUSES OF DEATH.																						
	Under 1 year.																					
	1 to 2 years.																					
	2 to 3 years.																					
	3 to 4 years.																					
	4 to 5 years.																					
CLASS I.—ORDER 1.																						
1. Small-pox		
1a. Chicken-pox	1	2		
2. Measles	1	5	6	5	3	5	1	1		
3. Scarlatina	8	14	29	22	18	49	7	1	..	3	3		
3a. Diphtheria	3	2	2	6	1		
4. Quinsy		
5. Croup	24	25	24	25	10	22	2		
6. Whooping-cough	54	19	7	5	1	5		
7. Typhoid (and Infantile Fever)	19	11	9	6	7	17	20	32	42	33	23	18	10	16	5	3	1	2	2	283		
8. Erysipelas	8	1	1	1	..	1	1	1	1	2	2	3	1	1	1	28		
9. Metria	2	6	3	..	5	1	1	18		
10. Carbuncle	1	1		
11. Influenza	18	4	4	2	1	1	1	1	3	2	1	1	1	43		
12. Dysentery	36	10	5	2	1	2	..	1	6	..	3	4	3	6	9	4	9	14	6	127		
13. Diarrhoea	237	74	9	6	3	6	1	3	1	2	2	5	4	5	9	4	7	385		
14. Cholera	20	9	3	1	2	1	1	3	1	2	1	1	50		
15. Ague	2	1	1		
16. Remittent Fever	1	2	2	4	5	5	1	3	1	1	..	3	2	4	1	..	5		
17. Rheumatism	35		
18. Pyæmia	1		
	428	175	103	77	47	118	38	42	62	46	37	30	26	32	32	22	26	24	19	17	8	
																				1,409		
ORDER 2.																						
1. Syphilis	2	6		
2. Stricture of the Urethra	1	11		
3. Hydrophobia		
4. Glanders		
	2	17		
ORDER 3.																						
1. Privation		
2. Want of Breast Milk..	43	42		
3. Purpura and Scurvy	1	43		
4. Alcoholism—	4		
a. Del. Tremens		
b. Intemperance		
5. Rickets		
	43	1	140		
ORDER 4.																						
1. Thrush	26	2	1	29		
2. Worms, &c.	1	1		
2a. Hydatid	1	..	1	1	2	..	2	1	2	1	11		
	26	2	2	1	..	1	..	1	2	..	2	1	2	1	41		
Total, Class I	499	178	103	77	49	121	38	43	64	52	45	37	35	48	44	29	44	35	26	18	22	1,607
CLASS II.—ORDER 1.																						
1. Gout	3	1	..	1	1	4	4	4	2	4	2	1	4	10	7	20	10	20	10	3	
2. Dropsy	47	13	1	1	115	
3. Cancer	6	2	3	2	1	3	14	30	58	56	60	38	42	37	35	17	5	9	6	1	
3a. Tumour		
3b. Polypus		
4. Noma		
5. Mortification	2	1	1	..	1	..	2	2	1	1	..	2	1	1	1	2	3	22	
	5	3	1	1	3	2	5	5	10	7	8	7	15	26	32	22	38	30	35	30	5	290
ORDER 2.																						
1. Scrofula	5	
2. Tabes Mesenterica	47	13	1	1	62	
3. Phthisis	6	2	3	2	1	3	14	30	58	56	60	38	42	37	35	17	5	9	6	1	
3a. Hæmoptysis		
4. Hydrocephalus	12	10	1	23	
4a. Abscess	1	5	
	65	25	4	4	2	4	14	32	59	56	61	38	42	40	35	17	5	10	6	..	520	
Total, Class II	70	28	5	5	5	6	19	37	69	63	69	45	57	66	67	39	43	40	41	30	6	810

G 3—continued.

CAUSES OF DEATH.	Under 1 year.																				Total.	
	1 to 2 Years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.			
CLASS III.—ORDER 1.																						
1. Cephalitis	28	9	6	2	...	4	7	2	2	1	2	...	2	1	...	2	1	11	7	...	69	
2. Apoplexy	1	1	1	1	3	1	...	2	9	6	12	14	15	12	14	13	15	105	
3. Paralysis	1	...	2	1	...	2	10	7	11	6	15	12	14	13	13	122	
4. Insanity	1	...	1	...	1	2	4	...	3	9	3	...	1	1	...	25	
5. Chorea	1	1	2	
6. Epilepsy.....	2	1	9	6	3	5	5	5	3	2	3	5	2	1	3	2	2	60	
7. Convulsions	402	82	9	1	494	
8. Brain Disease, &c.	15	1	6	2	2	8	3	11	7	7	5	10	14	9	9	5	7	4	7	3	2	137
	446	93	21	7	3	24	18	21	16	16	25	35	33	35	53	34	40	32	32	27	3	1,014
ORDER 2.																						
1. Pericarditis	1	...	1	4	1	1	1	...	1	...	1	...	1	...	1	...	12
2. Aneurism	1	2	2	...	2	3	4	1	3	1	1	...	19	
3. Heart Disease, &c....	...	1	2	8	8	8	14	16	13	22	29	22	33	31	35	42	24	21	5	334
	...	1	2	10	8	9	18	19	16	23	31	25	38	32	39	43	24	22	5	365
ORDER 3.																						
1. Laryngitis	2	1	1	1	1	4	1	11
2. Bronchitis	161	43	19	10	3	14	7	3	3	3	2	5	7	6	11	16	18	15	19	29	3	397
3. Pleurisy	2	1	2	1	1	2	3	...	1	3	...	6	4	2	5	2	3	1	1	...	1	39
4. Pneumonia	78	30	21	9	1	16	12	12	32	24	28	27	37	34	18	20	23	20	15	11	5	473
4a. Congestion of the Lungs, Pulmonary.	32	4	...	1	4	2	4	3	2	4	2	4	5	6	7	3	2	1	88	
5. Asthma	1	1	1	1	3	4	2	4	1	3	3	4	...	28	
6. Lung Disease, &c.....	7	4	2	2	2	4	...	2	1	5	4	4	37	
	283	83	43	22	7	38	26	17	42	35	37	43	55	52	46	52	56	41	40	46	9	1,073
ORDER 4.																						
1. Gastritis.....	6	5	1	1	2	1	...	1	2	1	1	1	1	1	3	26
2. Enteritis	87	23	6	3	...	6	7	12	7	15	5	5	6	5	10	5	7	3	1	1	...	218
3. Peritonitis	3	1	...	4	5	8	3	4	1	2	2	1	1	1	2	...	36	
4. Ascites	1	...	1	1	1	1	1	1	1	1	...	8	
5. Ulceration of Intestines	1	1	1	1	1	2	7
6. Hernia	1	...	1	1	1	1	2	1	2	1	10	
7. Ileus	8	1	1	...	2	1	2	3	5	...	2	1	25	
8. Intussusception.....	1	2
9. Stricture of Intestines
10. Fistula
11. Stomach Disease, &c.	8	2	2	1	2	1	6	2	2	1	1	...	27
12. Pancreas Disease, &c.	1	...	2	3	4	...	3	1	1	...	1	2	7	3	
13. Hepatitis	1	...	2	3	4	...	3	1	1	...	1	2	7	3	...	28	
14. Jaundice	7	1	1	2	...	1	3	2	9	8	10	16	13	11	5	2	2	...	13
15. Liver Disease, &c.....	1	1	2	...	1	3	2	9	8	10	16	13	11	5	2	2	...	88
16. Spleen Disease, &c.....	1	1	...
	120	30	7	3	1	11	9	20	21	33	16	30	22	32	37	20	26	26	12	7	6	489
ORDER 5.																						
1. Nephritis	1	3	1	1	...	1	1	...	1	1	1	2	3	1	1	1	1	...	15
2. Ischuria	1	1	1	1	1	4	2	4	7	3	6	2	4	3	1	1	4
3. Nephria	2	1	...	1	1	...	3	...	1	1	3	1	...	2	2	...	2	42
4. Diabetes.....	1	1	13
5. Stone	1	1	3
6. Cystitis	1	1	1	1	...	1	2	4	1	1	...	4	1	1	4	13
7. Kidney Disease, &c	1	1	...	1	2	4	1	1	8	6	2	2	...	27
	5	5	...	1	1	...	4	1	2	4	6	6	9	13	6	11	13	16	4	10	...	117
ORDER 6.																						
1. Ovarian Dropsy	1	2	2	1	1	1	8
2. Uterus Disease, &c.	1	2	2	1	1	1	8
	1	2	2	1	1	1	8
ORDER 7.																						
1. Arthritis	1	1	1	1	...	1	4
1a. Ostitis, Periostitis, &c.	1	...	1	1
2. Joint Disease, &c.....	1	1	1	1	1	...	1	2
	1	1	1	1	1	...	1	7
ORDER 8.																						
1. Phlegmon	1	1	...	1	...	1	...	1
2. Ulcer	1	1	...	1	...	1	...	1	8
3. Skin Disease, &c.	6	1	1	...	1	...	1	...	2	1	1	1	10
	7	1	1	...	1	...	1	...	3	1	1	1	18
Total, Class III	861	213	73	33	13	84	66	70	100	109	102	140	151	159	181	151	175	158	115	113	24	3,091

G 3—*continued.*

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
	
	
	
	
	
CLASS IV.—ORDER 1.																							
1. Premature Birth	172	172
2. Cyanosis	6	6
3. Spina Bifida
4. Other Malformations..	8	8
5. Teething.....	141	76	217
	327	76	403
ORDER 2.																							
1. Paramenia	1
2. Childbirth (<i>see</i> Metria)	70
	1
ORDER 3.																							
1. Old Age	723
ORDER 4.																							
1. Atrophy and Debility	350	36	1	387
Total, Class IV	677	112	1	11	18	11	18	9	3	91	62	154	412	5	1,584
CLASS V.—ORDER 1.—																							
ACCIDENT OR NEGLIGENCE.																							
1. Fractures & Contusions	1	1	4	3	1	14	16	22	18	21	21	24	24	19	16	12	18	8	4	3	5	255	
2. Wounds { a. Gunshot.	3	...	5	7	1	1	2	1	1	1	22	
b. Cuts.....	4	1	...	1	...	1	...	1	1	1	1	1	...	1	12	
3. Burns and Scalds	5	8	8	7	5	5	4	3	2	2	2	3	2	1	2	1	3	3	3	2	1	72	
3a. Sunstroke.....	...	1	2	1	1	1	1	3	3	1	2	2	2	1	1	5	1	1	1	1	1	31	
4. Poison	2	2	2	1	1	1	1	1	4	2	3	2	2	4	2	1	3	2	34	
4a. Bite of Snake or Insect	
5. Drowning	1	8	15	4	3	20	17	14	13	16	13	11	8	3	12	3	6	2	1	1	6	176	
6. Suffocation.....	12	1	...	1	1	1	1	1	1	1	1	1	19	
7. Otherwise	2	1	3	
	25	21	31	18	10	43	40	48	45	45	43	49	41	27	35	20	34	18	10	8	13	624	
ORDER 2.—																							
VIOLENT DEATHS IN BATTLE.																							
1. Gunshot Wounds.....	
2. Sword and Bayonet Wounds	
3. Otherwise	
ORDER 3.—HOMICIDE.																							
1. Murder	1	...	2	2	1	3	
2. Manslaughter	1	2	2	2	5	
	8	
ORDER 4.—SUICIDE.																							
1. Wounds { Gunshot	1	1	2	...	1	...	2	5	
Cut, Stab, &c	2	...	1	...	1	...	1	2	...	1	8	
2. Poison	1	1	1	1	1	4	...	1	...	9	
3. Drowning	1	1	...	1	1	2	1	6	
4. Hanging	1	...	1	...	1	1	1	1	2	2	8	
5. Otherwise	2	...	2	2	2	1	1	1	1	1	2	4	
	2	...	2	2	2	5	4	6	4	6	3	1	...	3	40
ORDER 5.—EXECUTION.																							
1. Hanging	1	1	1	3	
Violent Deaths (not classed) (Open Verdicts—Found Drowned, &c.)	
Total, Class V.....	25	21	31	18	10	43	40	51	47	50	46	52	48	31	41	24	40	21	11	8	17	675	
Causes not specified or ill-defined	1	2	1	2	2	1	1	1	1	27	
GRAND TOTAL	2132	552	213	133	77	255	165	202	291	291	273	292	300	309	335	244	394	318	347	581	90	7,794	

H.

SUMMARY of DEATHS, of BOTH SEXES, registered in the Colony of New South Wales, during each Month of the year 1882, classified under the heads of the several causes of Death.

CAUSES OF DEATH.	January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		Total.		Grand Total.	Percentage of total Deaths of the Year.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
I.—ZYMOTIC DISEASES.																												
1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.)	116	117	119	111	164	138	119	107	133	117	94	84	56	66	62	51	43	40	67	64	86	77	116	98	1175	1070	2,245	17·52
2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.)	2	...	2	2	1	...	4	1	1	2	2	...	4	1	2	2	2	2	5	2	2	1	3	1	30	14	44	0·34
3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.)	28	12	17	4	22	8	12	4	14	8	12	3	19	8	10	9	7	6	15	9	13	8	18	7	187	86	273	2·13
4. Parasitic Diseases—(Thrush, Worms, &c.)	3	4	5	3	1	4	1	3	1	2	8	1	1	3	3	...	1	...	1	...	3	1	1	4	29	25	54	0·42
Total.....	149	133	143	120	188	150	136	115	149	129	116	88	80	78	77	62	53	48	88	75	104	87	138	110	1421	1195		
II.—CONSTITUTIONAL DISEASES.																												
1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.)	27	19	28	13	26	11	30	17	15	17	26	15	21	24	18	8	22	21	18	23	18	17	18	21	267	206	473	3·68
2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)	50	35	48	45	61	52	62	50	52	41	56	33	49	37	76	45	33	36	53	34	58	34	75	44	673	486	1,159	9·04
Total	77	54	76	58	87	63	92	67	67	58	82	48	70	61	94	53	55	57	71	57	76	51	93	65	940	692		
III.—LOCAL DISEASES.																												
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis)	99	79	71	61	112	56	66	64	78	28	77	62	68	54	86	42	69	60	66	53	75	63	91	64	958	686	1,644	12·82
2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease)	32	17	23	17	27	12	22	19	31	19	39	18	32	30	38	24	31	22	32	23	31	18	35	22	373	241	614	4·79
3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.)	69	46	58	41	57	34	72	45	98	67	114	71	132	77	139	72	106	61	85	77	81	34	64	50	1075	675	1,750	13·66
4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.)	51	38	39	40	49	51	51	35	48	33	33	30	30	21	21	22	26	19	31	33	45	37	50	29	474	388	862	6·73
5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.)	13	6	5	3	19	7	13	2	15	7	9	12	14	9	12	7	13	6	17	3	19	5	15	8	164	75	239	1·86
6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.)	...	2	...	2	...	2	2	...	3	...	3	...	1	...	2	1	...	18	15	0·14	
7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.)	2	1	1	1	...	1	...	1	...	2	1	1	1	1	1	3	6	9	0·12	
8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.)	3	...	3	4	...	3	2	2	1	1	2	1	2	...	4	2	5	2	1	2	23	17	40	0·31
Total.....	269	189	199	164	264	166	225	168	272	156	272	196	277	196	298	173	247	169	236	194	257	159	257	179	3073	2109		
IV.—DEVELOPMENTAL DISEASES.																												
1. Diseases of Children—(Cyanosis, Teething, &c.)	33	29	36	31	40	19	35	26	38	26	22	24	17	20	30	25	21	14	26	29	24	28	28	29	350	300	650	5·07
2. Diseases of Adults—(Paramenia, Childbirth, &c.)	...	12	...	7	...	7	...	8	...	5	...	9	...	10	...	11	...	12	...	8	...	3	...	2	...	94	94	0·73
3. Diseases of Old People—(Old Age, &c.)	47	15	51	19	42	23	59	16	63	35	67	32	45	25	63	31	48	22	41	17	52	17	39	13	617	2·5	882	6·88
4. Diseases of Nutrition—(Atrophy, Debility)	43	47	44	27	34	38	29	32	42	23	31	25	16	16	32	29	21	29	32	32	32	32	51	39	407	369	776	6·05
Total.....	123	103	131	84	116	87	123	82	143	89	120	90	78	71	125	96	90	77	99	86	108	80	118	83	1374	1028		
V.—VIOLENCE.																												
1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.)	68	12	83	15	54	12	48	16	39	8	49	14	59	5	35	17	58	15	47	9	61	12	59	15	660	150	810	6·32
2. Violent Deaths not classed	1	...	1	...	1	...	2	...	1	...	3	3	...	1	...	1	...	1	...	2	...	16	...	16	0·13	
3. Homicide—(Murder and Manslaughter)	...	1	...	1	5	1	1	...	1	1	2	1	2	1	1	1	...	1	...	1	...	13	7	20	0·16	
4. Suicide—Poison, Drowning, Hanging, &c.)	10	...	4	5	2	...	3	...	5	1	1	4	1	6	1	2	...	5	...	1	2	1	...	44	11	55	0·44	
5. Execution—(Hanging)	1	...	2	...	3	...	3	0·03		
Total.....	79	13	88	21	62	13	54	16	46	10	55	15	63	6	44	19	63	16	53	10	64	14	65	15	736	168		
Unspecified	2	4	2	6	5	3	1	4	1	1	...	4	...	3	2	5	1	5	2	1	...	16	12	52	28	80	0·63
Totals from all causes.....	697	494	641	449	723	484	633	449	681	443	646	437	572	412	641	405	513	368	552	424	610	391	687	464	7596	5220	12,816	100·00

I.

TABLE showing the DEATHS which have occurred from the causes stated, in each of the several WARDS of the City of SYDNEY, from 1st January to 31st December, 1882, distinguishing those under Five years of age.

CAUSES OF DEATH.	Gipps.	Bourke.	Brisbane	Macquarie	Cook.	Fitzroy.	Phillip.	Denison.	Total Deaths from each cause in Sydney.																		
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1882.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.	1873.			
CLASS I.—ORDER 1.																											
1. Small-pox					1				1	1					1	2	9	15	3	4			
1a. Chicken-pox				
2. Measles									1								1	6	144	1	...	1	162	62	...		
3. Scarlatina					1	1			1								3	8	16	13	3	4	206	105	37	5	
3a. Diphtheria	1	1			1	1			1								3	8	9	8	12	17	20	17	36	12	16
4. Quinsy			1						1								2	3	1	...	1	3	3	4	5	2	
5. Croup	2					1			1	1	5	4	4				3	20	16	20	40	34	17	34	27	16	18
6. Whooping-cough											3		1				2	13	16	48	3	92	15	1	...	21	12
7. Typhoid (and Infantile Fever)	1	3	38	4		1	5	13	1	9		7	4	10	96	58	54	77	103	61	77	75	39	61			
8. Erysipelas	1							1	3		1					1	7	5	7	6	4	11	19	26	18	4	
9. Metria (See Childbirth)	1								1								2	7	6	3	2	2	11	18	23	9	
10. Carbuncle																			2	1	2		
11. Influenza											1						1	2	1	14	6	2	1		
12. Dysentery	1	6						1	3	1			1				1	14	11	23	29	35	12	15	29	15	13
13. Diarrhoea	14	4	14	5	1	7	4	42	4	20	2	27	1	36	3	184	141	173	158	147	157	133	208	159	108		
14. Cholera	1					1	1	2	2		2	3	1	2	1	16	13	19	24	18	16	18	20	17	13		
15. Ague			1						1								2	1	1	1	2	1	2	6	...	1	
16. Remittent Fever								1									1	2	1	6	...	4	6	3	3		
17. Rheumatism		1							1								5	10	10	16	13	12	11	14	9	9	
18. Pyæmia												1					2	3	5	2	2	5	6	2	2		
19. Parotitis																		1	...	1	...	1			
	19	6	5	61	6	6	11	8	66	27	27	18	42	12	53	25	392	312	539	394	475	337	572	748	440	279	
ORDER 2.																											
1. Syphilis			1			1	4			1	9		1		1	17	5	10	8	9	9	11	9	6	13		
2. Stricture of the Urethra																1	1	...	10	5	1	3	6	3	1		
			1			1	4			1	9		1	1	18	5	20	13	10	12	17	12	9	14			
ORDER 3.																											
1. Privation																			1	...	1	1	4				
2. Want of Breast Milk	4	1			2		9		12		2		5		25	18	6	13	24	31	38	29	22	30			
3. Purpura and Scurvy						1		1							2	2	...	2	...	4	2	2	4	1			
4. Alcoholism—																											
a. Del. Tremens	1		11		1		1		3		3		1		21	14	14	16	8	2	7	17	7	6			
b. Intemperance	2		7		4		1		10		6		1		39	46	23	23	31	37	35	20	8	16			
5. Rickets																1	1	1	...	1			
	4	3	1	18	...	5	2	2	10	13	3	9	2	2	6	8	88	81	43	54	64	74	83	68	42	57	
ORDER 4.																											
1. Thrush					1			1	2			2		2	6	1	6	4	6	3	...	7	4	6			
2. Worms, &c.							1				1			2	...	2	5	...	1	1	2	3	2	2			
2a. Hydatid															2	...	3	6	4	3				
			1			2		2		1	2		1	2	8	3	11	7	12	8	4	9	7	8			
Total, Class I	23	9	6	80	7	11	14	10	82	40	32	28	54	14	62	34	506	401	613	468	561	431	676	837	498	358	
CLASS II.—ORDER 1.																											
1. Gout									2							2	1	2	7	4	4	3	3	1	2		
2. Dropsy	4	1	1	1	1		1	4	1	8	2	2	3	2	31	29	38	29	28	47	50	15	9	21			
3. Cancer	5	14	3		4		15		6		5		3	3	55	44	52	47	41	33	48	44	49	56			
3a. Tumour	1		4			1	1	2			2				11	10	8	5	11	9	4	2	1				
3b. Polypus			1												1		1					
4. Norma																3	2	2	4	3	3	4	4	2			
5. Mortification	1		1				1									103	86	104	88	90	96	110	71	65	85		
	2	9	...	21	1	4	1	4	2	23	1	16	2	9	3	5	103	86	104	88	90	96	110	71	65	85	
ORDER 2.																											
1. Scrofula	1								1	1		1				4	2	3	4	8	10	7	8	12	16		
2. Tabes Mesenterica	8				1	1	3		11	1	5	7	3		40	41	51	59	61	41	60	57	48	25			
3. Phthisis	13	79	1	8	1	16	3	63	...	37	1	22	2	35	281	234	212	237	176	166	202	201	165	153			
3a. Hæmoptysis	1	2		1				2			1		1		7	4	10	5	3	6	3				
4. Hydrocephalus								1		3	2	1	1		7	9	15	9	11	7	19	17	7				
5. Abscess								2	1	1	1		1		10	3	6	7	4	2	1	...	1				
	9	14	...	86	2	10	4	16	17	68	9	38	11	23	7	35	349	293	297	321	263	232	292	285	242	202	
Total, Class II	11	23	...	107	3	14	5	20	19	91	10	54	13	32	10	40	452	379	401	409	353	328	402	356	307	287	

I—continued.

CAUSES OF DEATH.	Gipps.	Bourke.	Brisbane	Macquarie	Cook.	Fitzroy.	Phillip.	Denison.	Total Deaths from each Cause in Sydney.																	
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1882.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.	1873.		
CLASS III.—ORDER 1.																										
1. Cephalitis	2	1	6	2	2	1	7	3	5	2	5	1	10	1	48	48	53	53	52	50	44	61	59	80		
2. Apoplexy	4	14	4	3	6	7	8	8	6	57	74	47	54	57	61	45	67	56	55	23	24	23	15			
3. Paralysis	9	3	2	2	4	5	2	2	2	25	30	35	34	20	40	37	24	2	2	1	2	2	1			
4. Insanity			
5. Chorea			
6. Epilepsy	1	7	1	2	2	4	2	4	2	20	27	17	13	17	12	15	9	15	12			
7. Convulsions	14	14	1	3	28	7	1	16	22	1	110	114	157	118	116	79	112	106	116	105		
8. Brain Disease, &c....	1	18	1	1	1	1	2	1	3	2	31	37	45	46	46	34	36	41	51	45		
	16	8	3	54	16	9	5	12	36	17	14	24	22	16	32	11	295	331	357	318	310	278	293	310	322	313
ORDER 2.																										
1. Pericarditis	1	1	2	...	1	5	6	4	6	5	5	4	4	6		
2. Aneurism	1	3	1	...	2	1	1	9	9	8	8	10	10	7	9	7	9	7		
3. Heart Disease, &c.	10	47	7	10	23	13	2	8	2	129	89	128	121	102	84	115	107	91	87			
	11	51	8	10	26	16	2	9	2	8	143	104	140	135	117	99	126	120	104	94		
ORDER 3.																										
1. Laryngitis	2	4	...	1	1	...	8	3	4	7	11	6	6	6	7	3			
2. Bronchitis	8	4	1	9	3	1	4	5	25	11	15	11	17	2	11	6	133	120	148	93	94	85	108	106	104	80
3. Pleurisy	2	3	1	1	1	2	...	2	...	1	1	1	14	7	11	8	10	8	14	15	9	4		
4. Pneumonia	1	12	1	37	2	3	2	1	10	17	1	6	1	10	5	6	115	88	110	64	71	74	82	106	94	73
4a. Congestion of the Lungs, pulmonary ...	1	...	1	1	...	9	6	3	4	2	1	1	3	32	28	81	25	31	22	19	13		
5. Asthma	1	3	...	1	...	2	1	1	8	7	10	4	5	1	3	11	11	9		
6. Lung Disease, &c....	...	2	1	2	...	2	...	1	2	10	3	10	11	4	10	11	11	11	8	15		
	10	19	2	53	6	6	7	7	48	41	19	27	20	17	19	19	320	256	374	212	226	206	243	268	233	184
ORDER 4.																										
1. Gastritis.....	5	3	1	1	3	9	3	7	5	12	49	27	22	30	22	26	22	35	14	5		
2. Enteritis.....	2	3	1	3	3	7	1	1	3	2	30	47	58	56	59	22	29	38	36	42		
3. Peritonitis	5	1	1	...	2	3	...	3	1	...	16	13	17	16	7	16	13	20	13	5		
4. Ascites	1	2	1	...	1	...	1	5	7	6	6	8	3	4	4	4	4		
5. Ulceration of Intestines	1	1	...	1	2	...	1	3	...	3	1	4	2	3	2	4		
6. Hernia	3	...	2	...	2	...	1	1	...	1	9	5	10	4	5	...	3	3	1		
7. Ileus	2	...	1	...	2	...	1	4	9	7	10	5	6	1	8	2	2		
8. Intussusception	1	1	1	...	1	1	...	3	2	1	...	1	3	2	1	2	2	4		
9. Stricture of Intestines	3	2	1	...	1	3	2	1	2	2	1		
10. Fistula	1	...	1	...	2	1	1	...	3	9	5	8	3	11	5	15	7	7	19		
11. Stomach Disease, &c.	1	...	1	...	2	1	1	...	3	9	5	8	3	11	5	15	7	7	19		
12. Pancreas Disease, &c.	3	...	1	1	1	1	...	11	12	15	22	31	27	31	23	5	9			
13. Hepatitis	2	3	1	1	1	1	1	1	...	1	11	12	15	22	31	27	31	23	5	9		
14. Jaundice	1	3	1	1	1	1	1	1	1	1	12	6	8	7	3	5	7	5	8			
15. Liver Disease, &c....	3	13	4	2	9	1	2	5	39	18	24	45	23	28	32	51	41	38		
16. Spleen Disease, &c....	1		
	6	10	2	34	5	8	9	9	16	28	12	9	8	4	16	12	188	157	178	204	179	147	162	202	137	142
ORDER 5.																										
1. Nephritis	1	1	...	1	1	2	...	3	9	3	9	4	3	11	12	10	7	4			
2. Ischuria	1	1	1	2	1	6	2	4	44	44	46	40	39	30	44	32	37	22		
3. Nephria	4	17	1	1	2	1	6	6	2	4	44	44	46	40	39	30	44	32	37	22		
4. Diabetes	1	1	1	1	1	1	1	1	1	4	3	4	3	1	3	1	4	2	2			
5. Stone	1	...	1	...	1	...	1	1	1	1	1	1	1	1	1	3	2	2		
6. Cystitis	1	3	1	2	1	2	1	2	1	1	3	4	8	6	7	5	3	8	3	4		
7. Kidney Disease, &c....	1	3	1	2	1	1	2	1	1	11	18	15	11	8	10	11	12	18	10	11	12	18	10	11	12	
	6	23	4	1	4	2	9	1	11	4	7	72	74	85	66	70	59	72	69	71	42		
ORDER 6.																										
1. Ovarian Dropsy	2	1	2	...	1	4	5	1	3	3	1	1	1	5	...	1	...	2	...		
2. Uterus Disease, &c.	2	4	2	1	9	1	3	4	6	...	7	5	5	5	...	6	5	5	3		
	2	4	2	1	9	1	3	4	6	...	7	5	5	5	5	...	7	5	5		
ORDER 7.																										
1. Arthritis	2	1	1	1	1	3	1	2	1	1	1	2	3	2	3	2	3	2	3		
1a. Ostitis, Periostitis, &c	1	1	...	1	2	3	...	2	1	1	1	1	1	1	1	1	1		
2. Joint Disease, &c....	...	1	1	1	...	1	3	2	2	3	...	2	2	2	1	1	1	1	1	3		
	...	1	1	...	2	1	1	1	6	4	4	4	2	4	5	3	1	1	4		
ORDER 8.																										
1. Phlegmon	1	1	2	4	2	2	3	1	...	1	2	3	2	3	1	2	3		
2. Ulcer	1	1	2	1	4	5	1	...	7	3	...	2	4	5	4	3			
3. Skin Disease (Eczema, Leprosy, &c.)	1	1	2	4	...	1	9	3	3	10	4	2	4	5	4	3	2	2			
Total, Class III.....	32	54	7216	27	35	2242	104	124	46	95	56	53	70	59	1042	930	1144	953	914	795	912	982	877	787		

I—continued.

CAUSES OF DEATH.	Gipps.	Bourke.	Brisbane	Macquarie	Cook.	Fitzroy.	Phillip.	Denison.	Total Deaths from each Cause in Sydney.																	
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1882.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.	1873.
CLASS IV.—ORDER I.																										
1. Premature Birth	3	2	...	4	...	15	...	5	...	16	...	9	...	54	42	52	42	57	48	60	67	28	37	
2. Cyanosis.....	7	2	1	...	1	...	11	7	10	3	9	6	5	4	2	
3. Spina Bifida	1	3	2	3	...	2	1	...	1
4. Other Malformations..	1	2	...	4	...	1	...	2	...	1	...	11	5	10	3	8	6	5	5	6	7	
5. Teething	1	3	9	...	4	...	6	...	9	...	32	19	38	23	30	51	35	41	49	32		
	12	5	...	6	...	30	...	10	...	25	...	20	...	108	74	110	71	107	113	108	117	87	77	
ORDER 2.																										
1. Paramenia	1	1	...	2	1	...	2	1	...	3	
2. Childbirth(See Metria)	...	1	3	...	1	3	8	17	20	8	13	18	17	30	4	3
	...	1	3	...	1	4	9	17	22	9	13	18	19	31	4	3
ORDER 3.																										
1. Old Age	4	...	22	...	1	...	3	...	11	...	9	...	5	...	7	62	63	68	76	78	56	69	61	51	60
ORDER 4.																										
1. Atrophy and Debility	11	...	3	...	9	...	9	...	29	...	19	...	41	...	26	...	147	144	173	129	123	114	130	162	142	108
Total, Class IV	23	5	3	22	14	1	15	3	59	14	29	10	66	5	46	11	326	298	373	285	321	301	326	371	284	248
CLASS V.—ORDER 1.																										
ACCIDENT OR NEGLIGENCE.																										
1. Fractures & Contusions	...	5	3	43	...	1	4	...	2	...	4	...	6	68	90	66	44	51	40	35	40	35	32	
2. Wounds { a. Gunshot	3	3	5	7	3	6	1	4	6	4	5	
b. Cuts.....	3	11	9	8	11	16	6	22	10	9	19	
3. Burns and Scalds	3	4	1	...	1	...	1	...	1	...	1	...	3	7	2	3	4	1	1	3	4		
3a. Sunstroke.....	1	...	1	1	1	...	2	3	1	...	1	1		
4. Poison.....		
4a. Bite of Snake or Insect	3	...	9	...	2	1	1	2	17	12	8	15	4	15	12	10	16	21
5. Drowning	1	9	...	2	2	1	1	...	5	9	10	4	11	8	6	7	2	4	
6. Suffocation.....	...	1	1	2	1	...	1	3	4	8	3	2	1	...	4	
7. Otherwise (Blood-poisoning, Shock, &c.)	2	1	3	4	8	3	2	1	...	4	...	
	8	7	62	...	4	...	1	2	4	1	4	1	5	2	10	111	137	109	84	98	75	81	79	74	86	
ORDER 2—																										
VIOLENT DEATHS IN BATTLE.																										
1. Gunshot Wounds	
2. Sword and Bayonet Wounds	
3. Otherwise	
ORDER 3.—HOMICIDE.																										
1. Murder	1	...	1	1	1	1	...	3	...	8	5	9	4	6	6	2	3	8	4		
2. Manslaughter	1	1	...	2	4	4	3	5	4	1	8	2	4	2		
	1	...	1	2	1	1	1	3	2	12	9	12	9	10	7	10	5	12	6		
ORDER 4.—SUICIDE.																										
1. Wounds { Gunshot	1	1	1	3	2	1	...	4	1	1	
Cut, Stab, &c.	2	1	1	2	...	2	4	1	5	4	4		
2. Poison	1	...	2	1	1	...	1	4	3	5	3	2	3	4	2	1	
3. Drowning	1	1	...	1	2	...	2	2	...	1	1	...	2	1	3	3	1	
4. Hanging	1	3	2	1	1	
5. Otherwise (Falls from high places, &c.)	
	2	...	3	1	...	2	...	1	...	2	11	13	11	9	7	10	14	15	10	6		
ORDER 5.—EXECUTION.																										
1. Hanging.....	1	2	1	1	...	4		
Violent Deaths not classed (Open Verdicts,— Found drowned, &c.)	3	...	6	...	3	2	2	16	27	15	20	19	15	14	8	
Total, Class V	1	13	8	73	...	7	...	1	3	5	1	8	2	7	5	16	150	187	149	122	134	107	120	108	96	102
Causes not specified or ill-defined	3	...	9	...	5	...	4	...	12	...	6	...	2	8	49	51	60	29	38	38	55	19	15	18	
GRAND TOTALS	90	107	24	507	51	73	56	80	267	286	118	201	191	113	193	168	2525	2246	2740	2266	2321	2000	2491	2673	2077	1800

J.

BIRTHS and DEATHS occurring at Sea in the Colony of New South Wales, from 1st January to 31st December, 1882.

	Births.			Deaths.		
	Males.	Females.	Total.	Males.	Females.	Total.
Sydney ...	10	14	24	56	20	76
Newcastle	1	1

K.

RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar.	Date of Appointment.	District.	Name of Registrar.	Date of Appointment.
Sydney	The Registrar-General.....	1 April, 1881	Greta	Thos. Jones	1 April, 1881
Balmain	William Parker	1 " "	Scone	H. J. Leary, C.P.S.	1 July, 1883
Leichhardt	J. S. Hellier	1 July, 1882	Muswellbrook	T. Foley, C.P.S.	1 April, 1881
Canterbury	M. B. Young	1 April, 1881	Cassilis	R. B. Hayes, C.P.S.	1 " 1883
Petersham.....	A. Newman	1 June, "	Murrurundi	G. R. Evans, C.P.S.	1 " 1881
Glebe.....	F. M. Harvie.....	1 Jan., 1883	Denman	A. Elliott, C.P.S.	29 June, 1883
Newtown	Charles Alfred Newman	1 April, 1881	Wollongong	Alfred A. Turner, C.P.S.	1 April, 1881
Paddington	Henry Gale	1 " "	Woonona	Edward Ramsay	1 " "
Randwick	Wm. Bethune, Assistant D.R.	1 " "	Inverell	W. C. Cardew, C.P.S.	1 " "
Waverley	R. T. Orr, do	1 Feb., 1882	Kiama	H. Connell, C.P.S.	1 " "
Woolahra	M. A. Byrne, do	1 April, 1881	Kempsey	C. A. Grubb	1 July, 1883
Redfern	Christopher Warburton	1 " "	Bellinger River..	T. C. K. M'Kell, C.P.S.	11 Mar., 1882
Waterloo	F. H. B. Salmon	1 " "	Nambucca River ..	G. Henderson, Assistant D.R.	1 April, 1881
St. Leonards....	Robert Dalzell Ward	1 " "	East Maitland ..	{ G. H. Smithers, C.P.S.	5 Mar., 1882
Manly	Æ. M. Stephen, Assistant D.R.	1 " "	West Maitland ..	J. E. Fenwick, Assistant D.R.	1 May, "
Albury	{ Chas. A. Conley, Acting	1 Feb., 1882	Minmi	J. H. Nisbett, C.P.S.	1 April, 1881
Hume	{ L. W. A. Macarthur	1 July, 1883	Molong	A. Salway	29 Sept., 1882
Argyle	Walter S. Gunn, Assistant D.R.	1 April, 1881	Cooma	Bombala	1 Oct., "
Goulburn	G. F. Scott	21 July, 1883	Morpeth	Jas. Keating	1 April, 1881
Crookwell	N. Lockhart	22 Feb., "	Mudgee	F. S. Isaacs, C.P.S.	1 " "
Hay	{ C. Grant	1 April, "	Gulgong	C. Coghill, C.P.S., Assist. D.R.	1 " "
Balranald	J. P. Hayes, Assistant D.R.	19 June, 1881	Tambaroora	J. S. Willard	1 " "
Bathurst	L. M'Guinn, C.P.S.	1 April, "	Hill End	W. M. Macfarlane, C.P.S., Assistant D.R.	1 Aug., 1883
East Macquarie..	W. E. Wotton	1 Sept., 1883	Rylstone	W. W. Armstrong, C.P.S.	1 April, 1881
West Macquarie..	W. Chisholm	19 Mar., "	Deniliquin	W. H. Hooper	1 " "
Sofala	F. S. Osborn, Assistant D.R.	16 Aug., "	Moulamein	T. Linton	14 June, "
Dubbo	C. E. Oslear	25 July, "	Moama	L. S. Donaldson, C.P.S.	1 April, "
Bourke	J. B. Martin, C.P.S.	1 April, 1881	Jerilderie	A. D. Fowler, Assistant D.R.	1 Dec., 1882
Cobar	H. A. Smith	13 Nov., 1882	Wagga Wagga	E. H. Tompson, C.P.S.	1 April, 1881
Braidwood	W. R. Antill	1 April, 1881	Narranderra	J. L. King, C.P.S.	1 " "
Camden.....	F. R. Wilshire, C.P.S.	1 " "	Urana	J. D. Osborne, C.P.S.	25 Mar., 1882
Campbelltown ..	D. Moffitt	1 " "	Hillston	N. C. O'Neill, C.P.S.	14 April, 1881
Picton	W. B. Warner	1 " "	Coonabrabran	F. W. Edwards, C.P.S.	1 " "
Berrima.....	W. B. Simpson	1 " "	Coonamble	R. R. Bailey, C.P.S., Assist. D.R.	1 " "
Robertson.....	J. W. Madgwick, Assistant D.R.	1 Dec., "	Narrabri	C. E. Smith	1 " "
Carcoar	John M'Gregor	1 " "	Walgett	Jas. Millar, Acting D.R.	1 " "
Cowra	Geo. Wickham, C.P.S.	1 " "	Penrith	J. K. Cleeve, C.P.S.	1 " "
The Clarence—	G. M. Pope, C.P.S.	1 " "	Newcastle	J. Burrows	1 " "
Maclean	W. Long	1 " "	New England—	L. S. Gordon	1 Oct., 1882
Ulmarra	J. W. Lees, C.P.S.	1 June, "	Armidale	E. Marriott, C.P.S.	1 April, 1883
Central Cumberland	W. H. Thomas, C.P.S.	1 April, 1881	Walcha	J. M. Sheahan, C.P.S.	20 " "
Parramatta	D. E. Troughton, C.P.S.	17 July, 1883	Uralla	J. Reynolds	1 Feb., "
Ryde	W. C. Weston, C.P.S.	1 April, 1881	Bundarra	W. F. Dent, Assistant D.R.	1 April, 1881
Liverpool	J. Kenny	7 July, 1883	Lambton	Thos. Alnwick, do.	1 " "
Durham—	P. Lé Jeune, C.P.S.	1 Jan., 1882	Wallsend	W. T. Evans, C.P.S.	1 " "
Clarence Town	W. E. Henry, C.P.S.	29 April, "	Orange	F. J. Robinson	1 " "
Dangog	T. Laman, C.P.S.	1 " 1881	Patrick's Plains..	C. H. Emery	18 Aug., 1882
Paterson	W. C. Rodgerson	1 " 1883	Queanbeyan	M. M. Campbell, C.P.S.	1 April, 1881
Bega	H. C. Robison	29 Dec., 1882	Casino	W. Carson, C.P.S.	1 " "
Eden	J. W. Lees, C.P.S.	1 July, 1883	Lismore	Joshua Bray, C.P.S.	1 " "
Moruya	W. H. Thomas, C.P.S.	1 April, 1881	Tweed River	Wm. Lovegrove, C.P.S.	1 " "
Forbes	D. E. Troughton, C.P.S.	1 April, 1881	Shoalhaven	W. Fraser, C.P.S.	19 Jan., 1882
Parkes	J. Kenny	7 July, 1883	Milton	John M'Donald, C.P.S.	1 Oct., 1881
Condobolin	P. Lé Jeune, C.P.S.	1 Jan., 1882	Tamworth	Saml. Kermode	1 " "
Glen Innes	W. E. Henry, C.P.S.	29 April, "	Nundle	D. E. Veness	1 July, 1882
Vegetable Creek..	T. Laman, C.P.S.	1 " 1881	Manilla	G. Kennedy	20 June, 1883
Stroud	C. R. Middleton, C.P.S.	1 Jan., 1882	Tenterfield	John James, Assistant D.R.	1 April, 1881
Raymond Terrace	C. De Boos	2 " 1883	Adelong	A. B. Hilton	1 " "
Copeland	W. Clarke, C.P.S.	1 " 1881	Tumut	F. Marsh, C.P.S.	1 " "
Grafton	W. H. Hezelton	1 Oct., 1882	Wellington	A. Hibble	1 Mar., 1882
Grenfell	R. Zouch, C.P.S.	1 April, 1881	Wentworth	W. B. Brown	4 Dec., 1881
Temora	A. A. Smith	1 " "	Wilcannia	L. F. Layard	1 Jan., 1883
Gundagai	C. H. B. Primrose	1 " "	Menindie	C. M. King	1 " 1882
Cootamundra	W. C. Lawson, C.P.S.	31 Dec., "	Milparinka	E. Hinchcliffe	1 July, 1883
Gunnedah.....	T. H. Wilkinson, C.P.S.	27 May, 1882	Wollombi	T. J. Thompson, P.M.	22 Feb., 1882
Warialda	J. Teas	1 April, 1881	M'Donald River, Brisbane Water..	A. T. Kingsmill, C.P.S.	1 " "
Moree	P. Brougham, C.P.S.	1 Jan., 1882	Yass	A. Money Fisher, C.P.S.	1 April, 1881
Bingera	W. P. Macdermott	1 April, 1881	Gunning	J. F. Kenyon, C.P.S.	1 April, 1881
Lithgow	J. A. Creagh, C.P.S.	1 " "	Young	T. E. Blomfield, C.P.S.	19 Nov., 1882
Wingham	R. Maunsell, C.P.S.	1 " "	Murramburrah	C. Cutcliffe, C.P.S.	1 April, 1881
Port Macquarie..	W. H. H. Beeke, C.P.S.	1 " "			
Windsor	R. H. Ducker	1 " "			